

A.

TOYS

Amme

PLASTX™ BARRIERS

### PLASTX<sup>TM</sup> BARRIERS

Apr 38

E

mu

1 FT IN

HAM T


# FOREST BOOTERY

# **PLASTX<sup>™</sup> BARRIERS**


### **P-CADE PEDESTRIAN BARRICADE KIT**

<ul> <li>ADA Compliant to MUTCD</li> <li>Quick, easy set up for any environment</li> <li>Injection molded legs using high impact resin</li> <li>Plank Boards extruded EXTERIOR GRADE PVC - superior to Polyethylene</li> <li>Kit includes two legs and boards</li> </ul>	
ITEM # DESCRIPTION	
97-01-004-011G (2) P-Cade Legs (1) 2"x8"x6' EG 1 sided T-Board	
97-01-004-012G (2) P-Cade Legs (2) 2"x8"x6' EG 1 sided T-Boards	
97-01-004-013G (2) P-Cade Legs (1) 2"x8"x8' EG 1 sided T-Board	
97-01-004-014G (2) P-Cade Legs (2) 2"x8"x8' EG 1 sided T-Boards	

### **A FRAME BARRICADE KITS**



### **P-CADE BARRIER SYSTEM STARTER KIT**




- ●P-Cade<sup>™</sup> meets ADA Guidelines to MUTCD Standards
- Total versatility. Modular system allows for complete flexibility, use in a straight line or around manholes and workzones
- Provides a continuous, obstruction free guidance system through workzones, lower rail will not trap canes
- Easy to assemble no hardware or tools required
- •Quick set up and tear down
- Accepts all barricade lights



# A-FRAMES AND BEAMS

A-FRAMES	P-CADE LEG
Injection molded with high impact resin     Universal slots accept a wide variety of boards     Reinforced ribbing for added strength and stability     Molded light mount and stacking features	<ul> <li>ADA Compliant</li> <li>Injection molded with high impact resin</li> <li>Universal slots accept a wide variety of boards</li> <li>Reinforced ribbing for added strength and stability</li> <li>Molded light mount and stacking features</li> </ul>
ITEM#         DESCRIPTION           97-01-004         2 Board, White           97-01-004O         2 Board, Orange           97-01-004-02         1 Board, White	ITEM# DESCRIPTION WT 97-01-1600 Leg Only 8 lbs



# TELESPAR TYPE III BARRICADES

### TELESPAR TYPE III BARRICADES



- NCHRP-350 Certified
- Meets MUTCD Standards
- Galvanized steel tubing for superior corrosion protection
- Uprights and feet are 14 gauge, hot rolled carbon steel
   Angle iron feet, mill finish
- Universal mounting holes prepunched 7/16"
- Square shape provides superior wind load capabilities and inhibits warping
- Reflective Engineer or HI-Intensity Prismatic Sheeting on one or both sides
- Quick removal of uprights from feet
   Short term or permanent placement
- Easy to assemble
- Accepts 2 flashing lights

#### • SEE PRICE LIST FOR COMPLETE OFFERING

ITEM#	DESCRIPTION
97-1700-6EG	6' Boards, 1 Side EGR
97-1700-6HI	6' Boards, 1 Side HIP
97-1700-6DG	6' Board, 1 Side DG
97-1700-8EG	8' Board, 1 Side EGR
97-1700-8HI	8' Board, 1 Side HIP



### **BARRICADE LIGHTS**

#### **BARRICADE LIGH** STRATO-LITE™ 6V STRATO-LITE<sup>™</sup> LED LED SUNDOWNER - 20 - Meets MUTCD Standards Meets MUTCD Standards ITE Certified Meets MUTCD Standards ITE Certified 3-way (flashing, steady burn, off) ITE Certified 12 Volt configuration Weather resistant circuit chip Operates with 4 D-cell Batteries 3-way (flashing, steady burn, off) 3-way (flashing, steady burn, off) • 7" Polycarbonate Lens - extremely durable Weather resistant circuit chip • Attach to all barricades, drums, panels, etc. LED lights located in strongest area of the case • 7" Polycarbonate Lens - extremely durable State-of-the-Art Optics • Simple one piece battery compartment Attach to all barricades UV Stabilized Durable protected LED lighting assembly State-of-the-Art Optics 6V or D-cell with Photocell UV Stabilized D-cell with Photocell DESCRIPTION ITEM# DESCRIPTION ITEM# ITEM# DESCRIPTION 03-10-WAYDC Yellow with Amber Lens 03-10-3WAY6V Yellow with Amber Lens 03-10-3WAYDC Yellow with Amber Lens 03-10-3WRY6V Yellow with Red Lens 03-10-3WRYDC Yellow with Red Lens



# ROLLED GOODS TEMPORARY PAVEMENT TAPE BARRICADE TAPE

Available Engineer Grade or HI-Intensity Prismatic			
ITEM # 03-10-008-04-1 03-10-008-05-1 03-10-008-06-1 03-10-008-07-1 03-10-008-20-1 03-10-008-20-1 03-10-008-20-1 03-10-008-22-1 03-10-008-38-1 03-10-008-39-1	DESCRIPTION 8" x 50 Yards Left Stripe HI 8" x 50 Yards Right Stripe HI 12" x 50 Yards Left Stripe HI 12" x 50 Yards Right Stripe EGR 8" x 50 Yards Left Stripe EGR 12" x 50 Yards Left Stripe EGR 12" x 50 Yards Right Stripes 6" x 50 Yards Left Stripe EGR 6" x 50 Yards Right Stripe EGR		

BARREL & CHANNELIZER TAPE	CONSPICUITY TAPE
• Available HI-Intensity Prismatic or Engineer Grade	
ITEM #         DESCRIPTION           03-500-98         4" X 50 Yards HI - Orange           03-500-100         4" x 50 Yards HI - White           03-500-103         6" x 50 Yards HI - Orange           03-500-104         6" x 50 Yards HI - Orange           03-500-104         6" x 50 Yards HI - White           03-500-104         6" x 50 Yards HI - White           03-500-107         4" x 50 Yards EGR - Orange           03-500-108         4" x 50 Yards EGR - White           03-500-109         6" x 50 Yards EGR - Orange           03-500-110         6" x 50 Yards EGR - White	ITEM #         DESCRIPTION           03-500-82         7 Year - 150'           03-500-92         3 Year - 150'

 Available Engineer Grade or Construction Grade

ITEM # 03-10-103

03-10-104

03-10-105 03-10-106 03-10-107

03-10-108

DESCRIPTION

4" x 100 Yards - Yellow

4" x 100 Yards CG - White

4" x 50 Yards EGR - White

4" x 50 Yards EGR - Yellow 4" x 50 Yards CG - White 4" X 50 Yards CG - Yellow

## ROLLED GOODS





United States 800-225-5206 workzone@cortinaco.com

©2019 Cortina Safety Products Group



Canada 866-757-1900 workzonecanada@cortinaco.com

www.cortinaco.com