

- 2 WEIGHTS- A-FRAME-7.4 LBS MINIMUM BALLASTS-100% FULL, 2.0 LBS MINIMUM
- 3. CLEARANCE UNDER LOWER RAIL WILL BE ADA COMPLIANT AS PER THE MUTCD SEC. 6F.58 WHEN USING CSPG I-BEAMS
- 4. MATES WITH CORTINA'S I-BEAMS OR EXPAND-A-PANELS OR WITH 2X8 WOOD PLANKS (NON FHWA APPLICATIONS)

1			1				ı	
0)2		ADDED CUSTOMER LOGO	, IMPROVED BALLAST	RETENTION, NEW PA	RT NUMBER	JIL	9-11-2007
0)1		JIL	4-24-2003				
RI	EV	REF			BY	DATE		
MATERIAL A-FRAME AND BALLAST TUBES- STRUCTURAL POLYOLEFIN HARDWARF- STEFL SAF GRADE 2 COLOR AND FINISH A-FRAME- WHITE BALLAST TUBES- BLACK HARDWARF- BLACK OXIDE TOLERANCES UNLESS OTHER								SPECIFIED
THIS I	HARDWARE - STEEL, SAE GRADE 2 HARDWARE - BLACK OXIDE THIS DRAWING IN DESIGN AND DETAIL IS THE PROPERTY OF CORTINA TOOL & MOLDING COMPANY MATERIAL DESCRIBED AND INFORMATION CONVEYED MAY NOT BE COPIED, DIVULGED TO OTHERS OR USED FOR MANUFACTURING OR ANY OTHER PURPOSE WITHOUT CONSENT ALL DESIGN AND INVENTION RIGHTS RESERVED ANGULAR DIMENSIONS							A A A

Safety Products Group

10706 WEST GRAND AVENUE

COMPLETE

REGISTERED REGISTERED Www.cortingco.com

ADA COMPLIANT A-FRAME LEG FORMS TYPE II PARADE STYLE BARRICADES SPECIAL QUICK-LOADING BOTTOM SLOTS

SCALE AT	B si	^{ZE} 1	=	8	DRAWING	NUMBER
DRAFTER	JIL	DATE	4-24	-2003	97-	.∩1_ſ
CHECKER	SPG	DATE	4-24	-2003	JI	UIU

97-01-004-CE

02