


PART NUMBERS AVAILABLE

- 97-01-004 PLASTX A-FRAME WITH 2 RAIL OPENINGS, ADA COMPLIANT
- 97-01-004-3 PLASTX A-FRAME WITH 2 RAIL OPENINGS, HIGHER GROUND CLEARANCE
- 97-01-004-02 PLASTX A-FRAME WITH 1 RAIL OPENING

SPECIFICATIONS

1. MATERIAL-HIGH IMPACT COPOLYMER STRUCTURAL FOAM POLYOLEFIN
2. WEIGHT-7.5 LBS MINIMUM
3. HEIGHT OF LOWER I-BEAM RAIL WILL BE ADA COMPLIANT AS PER THE MUTCD SEC. 6F.58
4. MATES WITH CORTINA'S APPROVED I-BEAMS AND WITH OTHER REPORT 350 COMPLIANT MANUFACTURERS BOARDS

REV	REF	REVISION DESCRIPTION	BY	DATE
06	----	ADDED 10.15 INCH DIMENSION FOR HEIGHT OF THE OPENINGS	JIL	9-22-2015
05	----	ADDED ALTERNATE P/N'S, REV'D NOTE 4, REV HISTORY OMITTED	JIL	11-17-2006
01	----	INITIAL RELEASE	JIL	4-24-2003

MATERIAL STRUCTURAL FOAM POLYOLEFIN MIN WEIGHT = 7.5 LB	COLOR AND FINISH WHITE (STANDARD) MANY COLORS ARE AVAILABLE	THIRD ANGLE PROJECTION 	TOLERANCES UNLESS OTHERWISE SPECIFIED 2 PL. DECIMALS ± N/A 3 PL. DECIMALS ± N/A ANGLES ± N/A
THIS DRAWING IN DESIGN & DETAIL IS THE PROPERTY OF CORTINA TOOL & MOLDING COMPANY MATERIAL DESCRIBED & INFORMATION CONVEYED MAY NOT BE COPIED, DIVULGED OR USED FOR MANUFACTURING WITHOUT CONSENT ALL DESIGN AND INVENTION RIGHTS RESERVED			



Cortina A Cortina Company
Safety Products Group
CERTIFIED ISO 9002
www.cortinaco.com
10706 WEST GRAND AVENUE, FRANKLIN PARK, IL 60131

ADA COMPLIANT A-FRAME LEG FORMS TYPE II / III BARRICADES, USED WITH I-BEAM RAILS OR WITH EXTRUDED BOARDS			
SCALE AT A SIZE 1 = 12		DRAWING NUMBER	REVISION
DRAFTER JIL	DATE 4-24-2003	97-01-004	06
CHECKER SPG	DATE 4-24-2003		