



what's your workzone?



PROVIDING PRODUCTS THAT MAKE THE WORKZONE SAFER IS NOT SIMPLY OUR TAGLINE, IT'S WHAT WE HAVE BEEN DOING FOR 50 YEARS.

PROTECTING PEOPLE AND ASSETS ON HIGHWAYS AND FACTORY FLOORS TO SCHOOLS, CONSTRUCTION SITES, AND AT ROADSIDE EMERGENCY SCENES... WE ARE WHERE PEOPLE WORK.

WHAT'S YOUR WORKZONE?

TARGET MARKET ICONS

	Airports
	Automotive/Fleet Safety
	Construction Companies/ Contractors/Public Works
	Crossing Guards / Schools
	Roofers
	Facility Safety/Warehousing/ Industrial Plants/Refineries/ Institutions
	Hospitals
	Hospitality/Restaurants
	Jan/San
	Parks
	Parking Lots
	Pedestrian Control
	Police/Fire/EMS/Security
	Utility Companies

TABLE OF CONTENTS

	PAGE
PLASTX BARRICADES.....	2-3
M-CADE BARRICADES.....	4
STEELCADE BARRICADES.....	5
N-CADES.....	6
ROLLED GOODS.....	7
PLASTX BARRIERS.....	8-9
A-FRAMES & BEAMS.....	10
TELESPAR TYPE III BARRICADES.....	11
BARRICADE LIGHTS.....	12-13
DW & W SERIES TRAFFIC CONES.....	14-15
VALET CONES & SPORT CONES.....	16
CONESIGNS.....	17
PACK N POP COLLAPSIBLE CONES.....	18-19
CONE ACCESSORIES.....	20-21
ROLL-UP SIGNS.....	22-25
SIGN STANDS.....	26-29
STOP/SLOW PADDLES/BATONS.....	30-32
FLAGS/BANNERS/WINDSOCKS.....	33
TRAILBOSS & TRAILGUIDE TRAFFIC DRUMS.....	34-35
GRIP N GO CHANNELIZERS.....	36
GUARDIAN ROOF WARNING LINE.....	37
TRAILBLAZER^{XL} & TRAILBLAZER VERTICAL PANELS.....	38-39
NEW TRAILBLAZER ^{XL} VALET VERTICAL PANEL.....	40-41
EZ GRAB DELINEATORS KITS & DELINEATORS.....	42-43
NEW EZ GRAB DELUX STACKABLE DELINEATOR.....	44
TUBULAR MARKERS.....	45
LAMBA FLOOR SIGNS & CONES.....	46-47
CABLE PROTECTORS.....	48-51
PARKING AIDS.....	52-53
WARNING LIGHTS.....	54-55
ROAD WARNING KITS.....	56-59
WORKSITE PRODUCTS.....	60
FENCING.....	61

PLASTX™ BARRICADES



Barricade #97-01-003-11



PLASTX™ BARRICADES

PLASTX TYPE I



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 12" X 24" top sheeted panel
- Rugged heavy-duty design to provide maximum use
- Designed for easy nesting and stacking
- Recessed and replaceable sheeted panels
- Accepts weight cartridge

ITEM #	DESCRIPTION
97-01-001	12T/4B EGR Sheeting
97-01-001-01	12T/4B HIP Sheeting

SEE PRICE LIST FOR COMPLETE OFFERING



PLASTX TYPE II



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 8" X 24" top and bottom sheeted panel
- Rugged heavy-duty design to provide maximum use
- Designed for easy nesting and stacking
- Recessed and replaceable sheeted panels
- Accepts weight cartridge

ITEM #	DESCRIPTION
97-01-002	8T/8B EGR Sheeting
97-01-002-01	8T/8B HIP Sheeting

SEE PRICE LIST FOR COMPLETE OFFERING



PLASTX DIVERTER

REPLACEABLE PANELS AVAILABLE IN
ENGINEERING OR HI-INTENSITY SHEETING
FACILITATE RECYCLING

RECESSED LIGHT BRACKET
PROVIDES ADDED SECURITY
AND IS EASY TO MOUNT

RECESSED PANEL AREA
PROVIDES SHEETING
PROTECTION FROM SCRATCHING

IN-MOLD OR STENCILING
IDENTIFICATION AVAILABLE

45"

COMPANY IS HERE

24"

SUPERIOR HIGH-STRENGTH RESIN
WITHSTANDS TEMPERATURE
EXTREMES AND HAS AUV PROTECTION
PACKAGE FOR YEAR-ROUND USE

- NCHRP-350 Certified
- Meets MUTCD Specifications
- Ideal for transitions
- 12" x 24" top & 8" x 24" bottom sheeted panel
- Designed for easy nesting and stacking
- Recessed and replaceable sheeted panels
- Rugged heavy-duty design to provide maximum use
- Accepts weight cartridge

ITEM #	DESCRIPTION
97-01-003-01	12T/8B EGR Sheeting
97-01-003-02	12T/8B HIP Sheeting
97-01-003-11	Prismatic Fluorescent Orange with Directional Arrow 12T/8B

*LIGHT IS NOT INCLUDED (See lights on page 13)

SEE PRICE LIST FOR COMPLETE OFFERING





M-CADE BARRICADES

M-CADE TYPE I



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 12" x 24" top sheeted panel 8" x 24" panel / 6" sand bar
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy-duty design to provide maximum use

ITEM # DESCRIPTION

97-11-001-44	12T/8B EGR Striped Sheeting w/Sandbar
97-11-001-45	12T/8B HIP Striped Sheeting w/Sandbar

[SEE PRICE LIST FOR COMPLETE OFFERING](#)



M-CADE TYPE I BALLAST



- Meets MUTCD Standards
- NCHRP-350 Certified
- Folds flat for easy nesting and stacking
- 12" X 24" top sheeted panel
- 12" x 24" ballast panel for added weight
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy-duty design to provide maximum use

ITEM # DESCRIPTION

97-12-001-44	EG Striped Sheeting Top, Plain Bottom
97-12-001-45	HIP Striped Sheeting Top, Plain Bottom

[SEE PRICE LIST FOR COMPLETE OFFERING](#)



M-CADE TYPE II



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 12" x 24" top sheeted panel 8" x 24" panel / 6" sand bar
- Also available 8" x 24" top sheeted panel
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy-duty design to provide maximum use

ITEM # DESCRIPTION

97-11-003-44	12T/8B EGR Striped Sheeting w/Sandbar
97-11-003-45	12T/8B HIP Striped Sheeting w/Sandbar

[SEE PRICE LIST FOR COMPLETE OFFERING](#)



M-CADE TYPE II BALLAST



- Meets MUTCD Standards
- NCHRP-350 Certified
- 8" X 24" top sheeted panel
- 12" x 24" ballast panel for added weight
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy-duty design to provide maximum use

ITEM # DESCRIPTION

97-12-002-44	EGR Striped Sheeting Top & Bottom
97-12-002-45	HIP Striped Sheeting Top & Bottom

[SEE PRICE LIST FOR COMPLETE OFFERING](#)





STEELCADES

TYPE I STEELCADE



- 24" WIDE
- NCHRP-350 Certified
- Meets MUTCD Specifications
- 14 gauge powder coated legs
- M-Cade panels won't decay or splinter
- Aluminum rivet construction

ITEM #	DESCRIPTION
97-03-001	12T/8B EGR Striped Sheeting Top Only
97-03-001-01	12T/8B HIP Striped Sheeting Top Only

[SEE PRICE LIST FOR COMPLETE OFFERING](#)



TYPE I STEELCADE XL



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 36" W x 8" Panels
- 14 gauge powder coated legs
- Extruded PVC panels won't decay or splinter
- Aluminum rivet construction

ITEM #	DESCRIPTION
97-03-001-36G	8T/8B EGR Striped Sheeting Top Only

[SEE PRICE LIST FOR COMPLETE OFFERING](#)



TYPE II STEELCADE



- 24" WIDE
- NCHRP-350 Certified
- Meets MUTCD Specifications
- 14 gauge powder coated legs
- M-Cade panels won't decay or splinter
- Aluminum rivet construction

ITEM #	DESCRIPTION
97-03-002	8T/8B EGR Striped Sheeting
97-03-002-01	8T/8B HIP Striped Sheeting
97-03-003-01	12T/8B EGR Striped Sheeting
97-03-003-02	12T/8B HIP Striped Sheeting

[SEE PRICE LIST FOR COMPLETE OFFERING](#)



TYPE II STEELCADE XL



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 36" W x 8" Panels
- 14 gauge galvanized legs
- Extruded PVC panels won't decay or splinter
- Aluminum rivet construction

ITEM #	DESCRIPTION
97-03-002-36G	8T/8B EGR Striped Sheeting

[SEE PRICE LIST FOR COMPLETE OFFERING](#)





N-CADES

36" N-CADE



- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 36" tall x 12" wide
- 12" x 24" sheeted panel
- Recessed and replaceable panels

ITEM #	DESCRIPTION
97-01-006	EGR Striped Sheeting
97-01-006-01	Plain- No Sheeting
97-01-006-02	HIP Striped Sheeting



N-CADE 36 LEGEND



- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 36' tall x 12" wide
- Recessed and replaceable panels
- Customizable and standard legend 12"x 24" panels

ITEM #	DESCRIPTION
97-01-006-05	School X-ing Lime

6

44" N-CADE



- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 44" tall x 12" wide
- 12" x 24" sheeted panel
- Recessed and replaceable panels

ITEM #	DESCRIPTION
97-01-007	EGR Striped Sheeting
97-01-007-01	HIP Striped Sheeting
97-01-007-03	Plain - No Sheeting



N-CADE 44 LEGEND



- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 44' tall x 12" wide
- Recessed and replaceable panels
- Customizable and standard legend 12"x 24" panels

ITEM #	DESCRIPTION
97-01-007-03SX	School X-ing Lime





ROLLED GOODS

BARRICADE TAPE



BARRICADE TAPE

- Available Engineer Grade or HI-Intensity Prismatic
- Replacement Tape

ITEM # DESCRIPTION

03-10-008-04-1	8" x 50 Yards Left Stripe HI
03-10-008-05-1	8" x 50 Yards Right Stripe HI
03-10-008-06-1	12" x 50 Yards Left Stripe HI
03-10-008-07-1	12" x 50 Yards Right Stripe HI
03-10-008-19-1	8" x 50 Yards Left Stripe EGR
03-10-008-20-1	8" x 50 Yards Right Stripe EGR
03-10-008-21-1	12" x 50 Yards Left Stripe EGR
03-10-008-22-1	12" x 50 Yards Right Stripes
03-10-008-38-1	8" x 50 Yards Left Stripe EGR
03-10-008-39-1	8" x 50 Yards Right Stripe EGR



BARREL & CHANNELIZER TAPE

- Available HI-Intensity Prismatic or Engineer Grade
- Replacement Tape

ITEM # DESCRIPTION

03-500-98	4" X 50 Yards HI - Orange
03-500-100	4" X 50 Yards HI - White
03-500-103	8" X 50 Yards HI - Orange
03-500-104	8" X 50 Yards HI - White
03-500-107	4" X 50 Yards EGR - Orange
03-500-108	4" X 50 Yards EGR - White
03-500-109	8" X 50 Yards EGR - Orange
03-500-110	8" X 50 Yards EGR - White



CONSPICUITY TAPE

- 2" Wide Tape

ITEM # DESCRIPTION

03-500-82	7 Year - 150'
03-500-92	3 Year - 150'



TEMPORARY PAVEMENT TAPE



- Available Engineer Grade or Construction Grade

ITEM # DESCRIPTION

03-10-103	4" x 50 Yards EGR - White
03-10-104	4" x 50 Yards EGR - Yellow
03-10-105	4" x 50 Yards CG - White
03-10-106	4" X 50 Yards CG - Yellow
03-10-107	4" x 100 Yards - Yellow
03-10-108	4" x 100 Yards CG - White



PLASTX™ BARRIERS

FOREST BOOTERY





PLASTX™ BARRIERS

P-CADE LEG



- P-Cade™ meets ADA Guidelines to MUTCD Standards
- Injection molded with high impact resin
- Universal slots accept a wide variety of boards
- Reinforced ribbing for added strength and stability
- Molded light mount and stacking features
- Total versatility. Modular system allows for complete flexibility, use in a straight line or around manholes and workzones
- Provides a continuous, obstruction free guidance system through workzones, lower rail will not trap canes
- Easy to assemble no hardware or tools required
- Quick setup and tear down
- Accepts all barricade lights
- Uses 2" x 8" T-Boards ([SEE PAGE 10](#))

ITEM #	DESCRIPTION	WT
97-01-1600	Leg Only	8 lbs



- P-Cade™ meets ADA Guidelines to MUTCD Standards
- Total versatility. Modular system allows for complete flexibility, use in a straight line or around manholes and workzones
- Provides a continuous, obstruction free guidance system through workzones, lower rail will not trap canes
- Easy to assemble no hardware or tools required
- Quick setup and tear down
- Accepts all barricade lights





A-FRAMES/BEAMS

A-FRAMES



- Injection molded with high impact resin
- Universal slots accept a wide variety of boards
- Reinforced ribbing for added strength and stability
- Molded light mount and stacking features

ITEM #	DESCRIPTION
97-01-004-02	1 Board, White
97-01-004	2 Board, White
97-01-004O	2 Board, Orange

SEE PRICE LIST FOR ALL CONFIGURATIONS



2 X 8 PLASTX T-BOARD



- Extruded exterior grade PVC
- Does not require flame treating
- Won't crack, splinter or warp
- Fits both A-Frame and P-Cade Systems
- Available in 4', 6', 8', 10' and 12' lengths

ITEM #	DESCRIPTION
97-01-0213	2x8x4 ft Plain
97-01-0213-01	2x8x4 ft 1 Side EGR Striped Sheeting
97-01-0213-02	2x8x4 ft 2 Sides EGR Striped Sheeting
97-01-0213-03	2x8x4 ft 1 Side HIP Striped Sheeting
97-01-0213-04	2x8x4 ft 2 Sides HIP Striped Sheeting

SEE PRICE LIST FOR COMPLETE OFFERING



1 X 8 PLASTX T-BOARD



- Extruded exterior grade HDPE
- Does not require flame treating
- Won't crack, splinter or warp
- Fits both A-Frame and P-Cade Systems
- Available in 4', 6', 8', 10' and 12' lengths

ITEM #	DESCRIPTION
97-01-0113	1x8x4 ft Plain
97-01-0113-01	1x8x4 ft 1 Side EGR Striped Sheeting
97-01-0113-02	1x8x4 ft 2 Sides EGR Striped Sheeting
97-01-0113-03	1x8x4 ft 1 Side HIP Striped Sheeting
97-01-0113-04	1x8x4 ft 2 Sides HIP Striped Sheeting

SEE PRICE LIST FOR COMPLETE OFFERING





TELESPAR TYPE III BARRICADES

TELESPAR TYPE III BARRICADES



- NCHRP-350 Certified
- Meets MUTCD Standards
- Galvanized steel tubing for superior corrosion protection
- Uprights and feet are 14 gauge, hot rolled carbon steel
- Angle iron feet, mill finish
- Universal mounting holes pre-punched 7/16"
- Square shape provides superior wind load capabilities and inhibits warping
- Reflective Engineer or Hi-Intensity Prismatic Sheeting on one or both sides
- Quick removal of uprights from feet
- Short term or permanent placement
- Easy to assemble
- Accepts 2 flashing lights

ITEM #	DESCRIPTION
97-1700-6EG	6' Boards, 1 Side EGR Striped Sheeting
97-1700-6HI	6' Boards, 1 Side HIP Striped Sheeting
97-1700-6DG	6' Board, 1 Side DG Striped Sheeting
97-1700-8EG	8' Board, 1 Side EGR Striped Sheeting
97-1700-8HI	8' Board, 1 Side HIP Striped Sheeting

SEE PRICE LIST FOR COMPLETE OFFERING



BARRICADE LIGHTS



Barricade Light #03-10-3WAY6V



BARRICADE LIGHTS

STRATO-LITE™ 6V



- Meets MUTCD Standards
- ITE Certified
- 3-way (flashing, steady burn, off)
- Weather resistant circuit chip
- 7" Polycarbonate Lens - extremely durable
- Attach to all barricades, drums, panels, etc.
- State-of-the-Art Optics
- UV Stabilized
- Incandescent 6V with Photocell

ITEM #	DESCRIPTION
03-10-3WAY6V	Yellow with Amber Lens
03-10-3WRY6V	Yellow with Red Lens



SOLAR LIGHT



- Solar Module 0.3 w / Mono Crystalline Panel
- 3-way (flashing, steady burn, off)
- Battery - 1.2 V / 1800 mAh Ni-MH Battery
- Nonreplaceable battery
- Battery life - 500 Xs Recharging Cycle
- Operation Current 60 mA
- 13.38" H X 7.28" W X 3.78" D
- Built in Circuit Board
- Battery included

ITEM #	DESCRIPTION
03-10-SBLG	Yellow with Amber Lens
03-10-RSBLG	Yellow with Red Lens



LED SUNDOWNER



- Meets MUTCD Standards
- ITE Certified
- Operates with 4 D-Cell Batteries
- 3-way (flashing, steady burn, off)
- LED lights located in strongest area of the case
- Simple one piece battery compartment
- Durable protected LED lighting assembly

ITEM #	DESCRIPTION
03-10-WAYDC	Yellow with Amber Lens



BOCA SOLAR LIGHT



- Solar Module 0.3 w / Mono Crystalline Panel
- 3-way (flashing, steady burn, off)
- Battery - 1.2 V / 1800 mAh Ni-MH Battery
- Battery life - 1000 Xs Recharging Cycle
- Operation Current 60 mA
- 13.38" H X 7.28" W X 3.78" D
- Built in Circuit Board
- Battery included
- Run time 8-12 days

ITEM #	DESCRIPTION
03-10-NFSBL	Amber Lens LED Solar Light
03-10-BSBL	Red Lens LED Solar Light





DW SERIES TRAFFIC CONES

DW CONES

- Wide body design
- Injection molded PVC - black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM #	SIZE	WT.	COLOR
03-500-05	18"	3 lbs	Orange
03-500-07	28"	7 lbs	Orange
03-500-18	28"	10 lbs	Orange
03-500-08	36"	10 lbs	Orange
03-500-19	36"	12 lbs	Orange
			(FDOT 102-005-020)
03-500-65	28"	7 lbs	Lime
03-500-08L1	36"	10 lbs	Lime
03-500-67	28"	7 lbs	Yellow
03-500-64	28"	7 lbs	Blue
03-500-66	28"	7 lbs	White



DW SLIM LINE CONES

- Narrow body design

ITEM #	SIZE	WT.	COLOR
03-500-44-1	28"	5 lbs	Orange
03-500-45-1	28"	7 lbs	Orange
03-500-49-1	28"	10 lbs	Orange



DW CONES WITH COLLARS

- Wide body design
- Injection molded PVC - black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM #	SIZE	WT.	COLOR
03-500-10	28"	7 lbs	Orange
03-500-24	28"	10 lbs	Orange
03-500-06	36"	10 lbs	Orange
03-500-25	36"	12 lbs	Orange
03-500-27	36"	12 lbs	Orange
			(FDOT 102-005-020)
03-500-21 (w/ 6" Collar)	18"	3 lbs	Orange
03-500-01 (w/ 4" Collar)	28"	7 lbs	Orange
03-500-68	28"	7 lbs	Lime
03-500-06L1	36"	10 lbs	Lime
03-500-75	28"	7 lbs	Yellow
03-500-69	28"	7 lbs	Blue
03-500-77	28"	7 lbs	White



DW SLIM LINE CONES

- Narrow body design

ITEM #	SIZE	WT.
With 6 1/4" Collars		
03-500-50	28"	5 lbs
03-500-51	28"	7 lbs
03-500-52	28"	10 lbs





W SERIES TRAFFIC CONES

W SERIES ORANGE

- Wide body design
- Injection molded PVC with rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM #	SIZE	WT	COLOR
03-500-050	18"	3 lbs	Orange
03-500-9100	18"	3 lbs	Orange
	(Wet Floor 5 pack)		
03-500-9100SW	18"	3 lbs	Orange
	(Wet Floor Eng Span 6 Pack)		
03-500-070	28"	7 lbs	Orange
03-500-080	36"	10 lbs	Orange
03-500-05LI	18"	2.5 lbs	Lime
03-500-63	18"	3 lbs	Yellow
03-500-60	18"	3 lbs	Blue
03-500-62	18"	3 lbs	White

W CONES WITH COLLARS

03-500-210 (6" Collar)	18"	3 lbs	Orange
03-500-100 (6 1/4" Collars)	28"	7 lbs	Orange
03-500-060 (6 1/4" Collars)	36"	10 lbs	Orange



See Price List for Reflective Collars



DW Series Cones #03-500-10



VALET CONES & SPORT CONES

VALET CONES



ITEM# DESCRIPTION

DW TRAFFIC CONE

03-500-62-V 18" White Stencil "VALET"

SPORT CONES

03-500-37VP2 18" White "VALET ONLY" 2 Lines

03-500-37-VONP 18" White "VALET ONLY NO PARKING"

03-500-37-VO 18" White "VALET ONLY"

03-500-37-V 18" White "VALET"

03-500-30-V 18" Black Stencil "VALET"



SPORT CONES



- Injection Molded Cones
- Special Colors
- Stenciling Available

ITEM #	COLOR	SIZE	WT
03-500-34	Orange	5"	.25 lb
03-500-42	Orange	18"	2.25 lbs
03-500-34-09	White	5"	.25 lb
03-500-37	White	18"	2.25 lbs
03-500-34-06	Yellow	5"	.25 lb
03-500-38	Yellow	18"	2.25 lbs

ITEM #	COLOR	SIZE	WT
03-500-34-02	Blue	5"	.25 lb
03-500-39	Blue	18"	2.25 lbs
03-500-34-08	Green	5"	.25 lb
03-500-40	Green	18"	2.25 lbs
03-500-34-10	Pink	5"	.25 lb
03-500-31	Pink	18"	2.25 lbs
03-500-34-11	Red	5"	.25 lb
03-500-36	Red	18"	2.25 lbs
03-500-41	Lime	18"	2.25 lbs
03-500-30	Black	18"	2.25 lbs





CONE SIGNS



ITEM #
03-550-2WA



ITEM #
03-550-C



ITEM #
03-550-AKR




ITEM #
03-550-WP



ITEM #
03-550-NP



- Endless Messaging Options
 - Injection molded one piece design
 - Clean crisp edges
 - No flaking or splintering
 - Will not warp or bend
 - Excellent surface for adhesive application or screening
 - Longer life than aluminum
 - UV color protection package
 - High impact ABS resin .125 thick
 - Excellent in extreme weather conditions
 - 12.75" Wide x 10.5" High
- SEE PRICE LIST FOR ADDITIONAL LEGENDS**



ITEM #
03-550-H



ITEM #
03-550-R



ITEM #
03-550-VP



ITEM #
03-550-VALET



ITEM #
03-550-EO



ITEM #
03-550-S



ITEM #
03-550-MW



ITEM #
03-550-BL



ITEM #
Contact Customer Service
for Custom Options





PACK N POP™ COLLAPSIBLE CONES

PACK N POP HEAVY-DUTY COLLAPSIBLE CONE
SINGLE PACK



- Meets MUTCD Standards
- 30" Pack N Pop Cones
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with orange waterproof Nylon
- Operates on 2 AAA Batteries (included)

ITEM #	DESCRIPTION
03-501-04	Black Rubber Base 6U 4L

PACK N POP HEAVY-DUTY COLLAPSIBLE CONE
MULTI PACK



- Meets MUTCD Standards
- Meets NFPA Standard 1901
- 30" Pack N Pop Cones
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with orange waterproof Nylon
- Operates on 2 AAA Batteries (included)

ITEM #	DESCRIPTION
03-501-05	Black Rubber Base 6U 4L (5/CS)



Pack N Pop Cones #03-501-04 / 03-501-05



PACK N POP™ COLLAPSIBLE CONES

PACK N POP PORTABLE COLLAPSIBLE CONE SINGLE PACK



- Meets MUTCD Standards
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Operates on 2 AAA Batteries (included)
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with orange waterproof Nylon
- Collapses to 2" height for easy storage
- Quick and easy setup and take down
- Durable heavy-duty ABS base with rubber feet
- Highly reflective permanent collars
- 850' visibility at night

ITEM # DESCRIPTION

03-501-01 28" Orange with Light & Rubber Feet Plastic Base 6U 4L



PACK N POP PORTABLE COLLAPSIBLE CONE MULTI PACKS



- Meets MUTCD Standards
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Operates on 2 AAA Batteries (included)
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with orange waterproof Nylon
- Collapses to 2" height for easy storage
- Quick and easy setup and take down
- Durable heavy-duty ABS base with rubber feet
- Highly reflective permanent collars
- 850' visibility at night

ITEM # DESCRIPTION

03-501-06 18" Orange with Light & Plastic Base, no feet (4/CS)

03-501-02 28" Orange with Light & Rubber Feet Plastic Base 6U 4L- (4/CS)

03-501-03 28" Orange with Light & Rubber Feet Plastic Base 6U 4L- (5/CS)



PACK N POP ECONOMY COLLAPSIBLE CONE SINGLE PACK



- 28" Portable, Collapsible Reflective Cone
- Collapses to 2" height for easy storage
- Quick and easy setup and take down
- Heavy-duty Polyester construction - resistant to most chemicals
- Durable heavy-duty plastic base
- Highly reflective permanent collars
- Removable LED Safety Light
- 850' visibility at night

ITEM # DESCRIPTION

03-500-80 28" Reflective with LED Light

03-500-80NL 28" Reflective without LED Light

03-500-80LI Replacement Light



PACK N POP ECONOMY COLLAPSIBLE CONE MULTI PACKS



- Meets NFPA Standard 1901
- 28" Portable, Collapsible Reflective Cone
- Collapses to 2" height for easy storage
- Quick and easy setup and take down
- Heavy-duty Polyester construction - resistant to most chemicals
- Durable heavy-duty plastic base
- Highly reflective permanent collars
- High Density orange Vinyl case
- 850' visibility at night

ITEM # DESCRIPTION

03-500-80-5 28" Reflective with LED Light (5/cs)

03-500-80KT 28" Reflective without LED Light (5/cs)





CONE ACCESSORIES

CONE CART



- Heavy-duty construction - holds up to 500 lbs
- Easy roll design makes working around tight spaces simple and saves time
- Easy roll reduces the potential for injury
- Cones can be mixed or matched for easy transport
- Heavy-duty long wearing maintenance free wheels
- Measures overall 47" H x 24.5" W x 24" D
- Inner diameter (cone bed) 16" W x 16" D

ITEM # DESCRIPTION

03-500-CC Cone Cart

RETRACTABLE TOPPERS




- Fits all manufacturers traffic cones
 - Snaps and locks on top of NEW EZ Grab DeLux Stackable Delineator & Traffic Cones (press firmly to SNAP in place)
 - Provides a quick visual barrier around hazardous areas
 - Easy to setup and apply
 - 9.5' Tape
- (See EZ Grab DeLux Stackable Delineator on page 44)

ITEM # DESCRIPTION

03-828RCT	Red Cone Topper
03-827YCT	Yellow Cone Topper



RETRACTABLE CONE BAR



- Use with any and all PVC Traffic Cones
- Perfect for parking lots and pedestrian crossways
- Extremely versatile for road and utility work sites
- Convenient and fast unique barrier system

ITEM #	DESCRIPTION	RING
03-824CB	Orange/Silver - Extends 5'-9"	5"
03-829CB-BLK	Black/Yellow - Extends 5'-9"	3"
03-829CB-R	White/Red - Extends 4'-6"	3"
03-829CB-G	White/Green - Extends 4'-6"	3"
03-829CB-B	White/Blue - Extends 4'-6"	3"
03-829CB-O	White/Orange - Extends 4'-6"	3"





CONE ACCESSORIES

CONE LIGHTS



- 360° Incandescent
- Runs on 6V Battery (battery not included)
- Steady flashing light
- Easy application - simply slide ring over top of cone
- Copolymer resin housing
- High impact resistant

ITEM #	DESCRIPTION
03-10-CLG	Amber Cone Light
03-10-CLGR	Red Cone Light



BARRICADE TAPE CLIP



- Fit all manufacturers traffic cones
- Provide a quick visual barrier around hazardous areas
- Easy to setup and apply

ITEM #	DESCRIPTION
03-500-BTC	Tape Clip - 5 Packs Only






ROLL-UP SIGNS

ROLL-UP SIGN MATERIALS

- Cortina Roll-Up Signs are available in a variety of materials
- Meets MUTCD Standards
- NCHRP-350 Certified
- Lexan Polycarbonate pockets on all corners
- Fiberglass Ribsets are included and are ready for use (36" Sign= 48" Long Ribset / 48" = 65" Long Ribset)
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs
- 36" x 36" or 48" x 48" sizes



MATERIAL	ORANGE	PINK	WHITE	LIME	YELLOW
Mesh Nonreflective	✓				
Vinyl Nonreflective	✓				
Superbright Reflective	✓		✓		✓
Superbright Fluorescent	✓	✓			
Marathon Fluorescent	✓		✓	✓	
Diamond Grade Reflective	✓		✓		



ROLL-UP SIGN FEATURES



Velcro Strap
Secures for Storage



Lexan Rectangular
Pockets All Corners



Riveted Center with
Velcro for Extra Stability





ROLL-UP SIGNS

ROLL-UP SIGNS



Mesh Nonreflective



Nonreflective Vinyl



Superbright Reflective



Marathon Reflective



Diamond Grade Reflective

- Meets MUTCD Standards
- Lexan Polycarbonate pockets on all corners
- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs
- 36" x 36" or 48" x 48" sizes

DESCRIPTION

Be Prepared To Stop
Construction Ahead
Detour Ahead
Flagger Ahead
Flagger Symbol
Fresh Oil
Men Working
Men Working Symbol
Merge Left Symbol
Merge Right
Merge Right Symbol
Mowing Ahead
One Lane Road Ahead
Right Lane Closed Ahead
Right Shoulder Closed
Road Closed Ahead
Road Construction Ahead
Road Work Ahead
Shoulder Work Ahead
Signal Work Ahead
Slow
Survey Crew
Survey Crew Ahead
Trucks Entering Highway
Utility Work Ahead
Work Area Ahead
Workers Ahead

OVERLAYS AVAILABLE

CONTACT CUSTOMER SERVICE FOR AVAILABLE LEGENDS



CUSTOM LEGENDS AVAILABLE

SEE PRICE LIST FOR ADDITIONAL LEGENDS



ROLL-UP SIGNS

Canadian Symbols & Legends

ROLL-UP SIGNS



- 75 CM X 75 CM / 29.5" X 29.5" or 90 CM X 90 CM / 36" X 36"
- Lexan Polycarbonate pockets on all corners
- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs

ITEM# DESCRIPTION

75 CM X 75 CM / 29.5" X 29.5"

07-800-0123-L	Men at Work Symbol
07-800-0124-L	Arrow 45° Symbol
07-800-1235	Merge Left Symbol
07-800-35103-L	Stop Light Symbol
07-800-35104-L	Man in Bucket Symbol
07-800-35106-L	Lentement Symbol
07-800-35101-L	Do Not Pass Symbol

90 CM X 90 CM / 36" X 36"

07-800-3026-L	Men at Work Symbol
07-800-3028-L	Construction Ahead
07-800-3044-L	Merge Right Symbol
07-800-3045-L	Merge Left Symbol
07-800-3051-L	Traffic Control Person Symbol
07-800-3060-L	Arrow 45° Symbol
07-800-3058-L	Yield Ahead Symbol
07-800-30104-L	Emergency Scene Ahead
07-800-3600-C-L	Do Not Pass Symbol



ROLL-UP SIGNS

ITEM# DESCRIPTION

07-800-3057-L	90 CM x 120 CM / 36" x 48" Road Closed
07-800-3056-L	36" x 48" Yield Pictogram on Oncoming Traffic
07-800-35102	60 CM x 75 CM / 24" x 30" Ligne D'Arrêt





ROLL-UP SIGNS

EMERGENCY ROLL-UP SIGNS



- Meets MUTCD Standards
- Superbright fluorescent pink provides maximum visibility
- Lexan Polycarbonate pockets on all corners
- Ribsets are included and are ready for use
- 36" x 36" or 48" x 48"

ITEM #	DESCRIPTION
07-800-30104-L	36" Emergency Scene Ahead
07-800-30106-L	36" Sobriety Checkpoint
07-800-30107-L	36" Incident Ahead
07-800-40105-L	48" Accident Ahead



QUADRA FLEX™ EMERGENCY RESPONSE SYSTEM




- Complete sign stand system for emergency response
- Meets MUTCD Standards
- NCHRP-350 Certified
- Superbright fluorescent pink provides maximum visibility

ITEM #	DESCRIPTION
07-810-0003	36" B/PNK Road Closed
07-810-0004	36" B/PNK Emergency Scene Ahead
07-810-0005	36" B/PNK Accident Ahead
07-810-0006	36" B/PNK Emergency Truck Repair
07-810-0007	36" B/PNK Fire Activity Ahead
07-810-0008	36" B/PNK Incident Ahead
07-811-0003	48" B/PNK Accident Ahead
07-811-0004	48" B/PNK Emergency Scene Ahead
07-811-0006	48" B/PNK Emergency Truck Repair
07-811-0007	48" B/PNK Fire Activity Ahead
07-811-0008	48" B/PNK Incident Ahead



SIGN STANDS



Quadra Flex Sign Stand #07-813
Marathon Roll-Up Sign #07-800-3602-L
36" - Be Prepared To Stop

QUADRA FLEX™ VI DUAL SPRING SIGN STANDS



- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify setup
- One person deployment without tools
- Allows deployment of Roll-Up and Rigid Signs from 14" to 7' from ground surface
- Dual spring base with strong initial tension resists twisting and turning of sign in high wind gusts

ITEM #	DESCRIPTION
07-801-1	Holds 36" or 48" sign 14" off the ground
07-805-1	Holds 36" or 48" sign 5' off the ground (use with mast 07-807 for 48" sign)
07-805-3	QF-V-84 Stand - for 36"X48" Holds signs 7' off Ground
07-805-4	QF-VR-84 Stand - for 36" & 48" Roll-Up/Rigid Sign - Holds signs 7' off Ground - Includes Flag Bracket
07-824-2	QF VR holds rigid signs 3' off the ground
07-809	Rigid bracket only, converts QF VI to hold rigid signs





SIGN STANDS

QUADRA FLEX™ VI SINGLE SPRING STAND



- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify setup
- One person deployment without tools
- Allows deployment of Roll-Up and Rigid Signs from 14" to 7' from ground surface
- Single Spring product line combines all products of the Quadra Flex line with added lightweight features in a Single Spring Stand

ITEM #	DESCRIPTION	ITEM #	DESCRIPTION
QFV Series		QF-VI Series	
07-813	QFV Single Spring Base Only	07-802-1	Base only
07-813-1	QFV Stand with Bracket for 36" Roll-Up Sign	07-804-1	QF-VI Base & Mast for 36" sign (use with mast 07-808)
07-813-2	QFV Stand with Bracket for 48" Roll-Up Sign	07-804-2	QF-VI Base & Mast for 48" sign (use with Mast 07-808)
07-813-3	QFV Stand with Bracket - Telescoping Mast for 36" or 48" Sign	07-804-3	QF-VIT Base & Telescopic Mast for 36" or 48" sign (includes bracket)



SCREW LOCK SIGN STANDS



- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify setup
- One person deployment without tools
- Allows deployment of Roll-Up and Rigid Signs from 14" to 7' from ground surface
- For use with Roll-Up signs
- Includes bracket
- Features telescoping legs

ITEM #	DESCRIPTION
07-819-1	QLV-W No spring - holds 36" or 48" Roll-Up Signs
07-816-1	QFV-W Single Spring - holds 36" or 48" Roll-Up Signs





48" X 30" ROLL-UP SIGNS



ITEM #	DESCRIPTION
07-800-0500-L-RU	SUPERBRIGHT WHITE 48" X 30" WITH LEXAN POCKETS ROAD CLOSED (requires stand with a mast)
07-800-0500-L-PL	ROAD CLOSED (requires stand with pocket latch or screw lock sign holder)
07-800-0500-L-SL	ROAD CLOSED (requires stand with screw lock sign holder)
07-800-0500-L-UC	ROAD CLOSED (use with #07-850 Universal Sign Clamp & full size sign stands with masts & Roll-Up Brackets)



REQUIRES STAND WITH A MAST



USE WITH #07-850 UNIVERSAL SIGN CLAMP & FULL SIZE SIGN STANDS WITH MASTS & ROLL-UP BRACKETS



REQUIRES STAND WITH SCREW LOCK SIGN HOLDER

PLEASE REFER TO THE PRICE GUIDE FOR A COMPLETE LIST OF AVAILABLE LEGENDS

ACCESSORIES

QUADRA FLEX™ ACCESSORIES



ITEM #	DESCRIPTION
07-806	Mast ONLY for QF VI Single Spring 36" Roll-Up Sign Stand
07-807	Mast ONLY for QF VI Single Spring 48" Roll-Up Sign Stand
07-808	QF VI Telescoping Mast ONLY for 36" and 48" Roll-Up Signs Stands
07-802-2	Roll-up Bracket only [requires 1 only]
07-809	Rigid Bracket only, converts stand for rigid signs [requires 2]
07-850	Universal Sign Clamp
03-229-3417	18" x 18" Vinyl flag with 24" dowel - standard pack of 50





SIGN STANDS

ECONO TRIPOD & T-STÅND



TRIPOD STÅND

- Aluminum Tripod expands to hold Roll-Up and Rigid Signs
- Use in no wind good weather conditions

T-STÅND

- Steel T-Stånd stakes into ground
- For use in windy conditions
- For use with Roll-Up and Rigid Signs

QFVI RUBBER BASE STÅND

- Securely holds Roll-Up Signs of all standard shapes.
- Steel plate is molded into the rubber base
- Stackable

ITEM # DESCRIPTION

07-822	Tripod
07-823	T-Stånd
07-841	QFVI - Rubber Base Stand with Pocket Latch



COMPACT ROLL UP SIGN AND STÅND BAGS



- Nylon bag securely holds Roll-Up Sign and stand for easy transport
- 3 lb lightweight bag

ITEM # DESCRIPTION

07-835	36" Compact Sign and Stand Bag - Black
07-836	48" Compact Sign and Stand Bag - Black



ROLL UP SIGN BAGS




- Nylon bag securely holds Roll-Up Sign and stand for easy transport
- 3 lb lightweight bag

ITEM # DESCRIPTION

07-700-36	36" Roll-Up Sign Bag - Black
07-700-48	48" Roll-Up Sign Bag - Black



STOP SLOW SIGNS



Stop/Slow Paddle #03-823P



STOP SLOW SIGNS

STOP/SLOW PADDLES



- Paddles meet MUTCD Requirements
- Silk Screened or reflective with Engineer Grade, HI-Intensity, or Diamond Grade Sheeting
- Letter size 8" for 24" Paddles or 6" for 18" Paddles
- 18" x 18" Silk Screened Aluminum or ABS hand held Paddles
- Ideal for school crossing guards, police and plant security guards
- .080 Aluminum with scratch resistant paint finish or extremely durable ABS material

ITEM # DESCRIPTION

ABS PLASTIC

03-822	24" Stop/Slow EG Sheeting Paddle Only
03-822P	24" Stop/Slow EG Sheeting w 81" Plastic Handle
03-823	24" Stop/Slow HI Sheeting Paddle Only
03-823P	24" Stop/Slow HI Sheeting w 81" Plastic Handle
03-826	24" Stop/Slow DG Sheeting Paddle Only
03-826P	24" Stop/Slow DG Sheeting w 81" Plastic Handle
03-827	24" Stop/Slow Silk Screened Nonreflective Paddle Only
03-827P	24" Stop/Slow Silk Screened Nonreflective w 81" Plastic Handle
03-835	18" Stop/Slow EG Sheeting Paddle Only
03-836	18" Stop/Slow HI Sheeting Paddle Only
03-837	18" Stop/Slow DG Sheeting Paddle Only
03-838	18" Stop/Slow Silk Screened Nonreflective Paddle Only
03-851	18" Stop/Slow Silk Screened Nonreflective w 9" Polygrip Handle
03-852	18" Stop/Slow EG Sheeting w 9" Polygrip Handle
03-853	18" Stop/Slow HI Sheeting w 9" Polygrip Handle
03-854	18" Stop/Stop Silk Screened Nonreflective w 9" Polygrip Handle
03-855	18" Stop/Stop EG Sheeting w 9" Polygrip Handle
03-856	18" Stop/Stop HI Sheeting w 9" Polygrip Handle
03-858ON	18" Stop/Slow Plastic DG Sheeting - Ontario

ALUMINUM

03-867	24" Stop/Slow - Nonreflective w/72" Wood Handle
03-870	24" Stop/Slow - EG Sheeting w/72" Wood Handle
03-868	24" Stop/Slow - HIP Sheeting w/72" Wood Handle

HANDLES AND COMPONENTS

03-850H	9" Polygrip Handle with Hardware
03-824HD	Heavy-duty Plastic Handle - 81" Long - 3" Diameter (2 pieces)
03-650	18" Stop/Slow Paddle Blank-White
03-601	24" Stop/Slow Paddle Blank-White
03-601B	24" Stop/Slow Paddle Blank - Black



QUICK DEPLOY STOP SIGN

- Quick setup and easy to use
- Effective traffic control system designed for use in industrial plants, 4-way intersections, parking lots, schools, airports, hospitals, and places where stop light is inoperable due to natural disasters, etc.
- Highly visible
- Kit includes 1 white delineator post, 1 - 15 lb recycled rubber base, and 2 - 18" ABS STOP signs

<u>ITEM #</u>	<u>DESCRIPTION</u>
03-747QD	Nonreflective
03-747QDH-15	18" HI-Intensity Reflective
03-747QDDG15	18" Fluorescent Prismatic

Bases Also Sold Separately

03-730	10 lb Square Base
03-731	15 lb Hexagon Base



SEE PRICE LIST FOR ADDITIONAL OPTIONS



STOP / SLOW SIGNS

LED STOP/SLOW PADDLES



[SEE PRICE LIST FOR ADDITIONAL OPTIONS](#)

- Meets MUTCD Standards
- Easy push button ON/OFF feature
- Steady burn / flashing mode
- Lithium ION rechargeable/interchangeable battery and charger included

ITEM # DESCRIPTION

03-816	12" Stop/Slow w/ 6" Paddle Handle
03-817	12" Stop/Slow w/ 6" Paddle Handle (Canada only)
03-818	18" Stop/Slow w/ 6" Paddle Handle
03-819	18" Stop/Slow w/ 6" Paddle Handle
03-845	24" LED Stop/Slow HIP Paddle w/ 6" Padded Handle
03-845-10	24" LED Stop/Slow HIP Paddle w/ telescopic 4-8' Handle & Paddle Cover
03-846	24" LED Stop/Slow DG Paddle w/ 6" Paddle Handle
03-846-11	24" LED Stop/Slow DG w/ telescopic 4-8' Handle & Paddle Cover
03-812-O	Handle, Extends 4'-8' Orange w/sign holder for LED Paddles - 2.5" dia
03-812-BH	Handle, Black Sign Holder Only



NON REFLECTIVE HAND HELD ABS PADDLE WITH HANDLE



[SEE PRICE LIST FOR ADDITIONAL OPTIONS](#)

- Meets MUTCD Requirements
- Available nonreflective Silk Screened or reflective Engineer Grade, HI-Intensity, or Diamond Grade sheeting
- Ideal for school crossing guards, flaggers, and plant security guards
- Heavy-duty ABS

ITEM # DESCRIPTION

03-851	18" Stop/Slow Silk Screened with Polygrip Handle
03-851-25	18" Stop/Slow Corrugated with Polygrip Handle (nonreflective only)
03-836SW	18" Stop/Slow HIP Sheeting with Polygrip Handle
03-837SW	18" Stop/Slow Diamond Grade Sheeting with Polygrip Handle
03-838SW	18" Stop/Slow Silk-Screened with Polygrip Handle



ALUMINUM PADDLES WITH HANDLE



[SEE PRICE LIST FOR ADDITIONAL OPTIONS](#)

- Meets MUTCD Requirements
- Available nonreflective Silk Screened or reflective Engineer Grade, HI-Intensity, or Diamond Grade sheeting
- Ideal for school crossing guards, flaggers, and plant security guards

ITEM # DESCRIPTION

03-850H	9" Polygrip Handle with hardware for Stop/Slow Paddle
03-851-01	12" Stop/Slow Nonreflective Silk Screened with 15" Steel Handle (Canada Only)
03-830	18" Stop/Slow Nonreflective with 9" Polygrip Handle
03-831	18" Stop/Slow Nonreflective with 9" Polygrip Handle
03-863	18" Stop/Slow Nonreflective with 8" Steel Handle
03-864	18" Stop/Slow Nonreflective with 8" Wood Handle



ELECTRONIC SAFETY BATONS



- Pulsating high intensity LED lights
- Water and impact resistant construction
- Battery Operated (batteries not included)

ITEM # DESCRIPTION

03-300	12" C-Cell Steady On / Slow Flash / Fast Flash
03-301	9" C-Cell Steady On / Fast Flash
03-303	12" D-Cell Steady On / Fast Flash





FLAGS - BANNERS - WINDSOCKS

VINYL WARNING FLAGS



- Reinforced heavy-duty 4mm Vinyl
- Fluorescent red-orange
- Standard pack of 50
- * 100 per pack

ITEM # DESCRIPTION

03-229-3404	18" Orange w 30" Wood Dowel
03-229-3405	18" Orange w 36" Wood Dowel
03-229-3417	18" Orange w 24" Wood Dowel
03-229-3408	24" Orange w 30" Wood Dowel
03-229-3418	24" Orange w 36" Wood Dowel
03-229-3440	24" Red w 36" Wood Dowel



MESH WARNING FLAGS



- Reinforced heavy-duty 4mm Mesh
- Fluorescent red-orange
- Standard pack of 50

ITEM # DESCRIPTION

03-229-3406	18" Orange w 24" Wood Dowel
03-229-3407	18" Orange w 30" Wood Dowel
03-229-3412	18" Orange - no dowel (Canada only)
03-229-3410	24" Orange 36" Wood Dowel



PENNANTS



- Tensile strength = 107 lbs
- 9" x 12" flags on 60' or 100' string

ITEM #	DESCRIPTION
03-407	60' Red DANGER
03-400-60	60' Red
03-401-60	60' Red/White
03-402-60	60' Orange
03-404-60	60' Orange/White
03-405-60	60' Yellow
03-406	60' Red/Yellow alternating legends - Danger Keep Out/Safety First/Danger Ahead/Be Careful/Safety Always
03-403-60	60' Multi
03-400	100' Red
03-401	100' Red/White
03-402	100' Orange
03-403	100' Multi
03-404	100' Orange/White
03-405	100' Yellow
03-403-105	105' Red - OSHA
03-405-105	105' Yellow - OSHA
03-407-105	105' Red/Yellow - OSHA



BANNER



- 18" x 96"
- 5' Rope Ties in Each Corner
- Wide Load / Oversize Load - Front / Back
- Bright yellow reinforced Vinyl
- Letter size = 12"

ITEM #	DESCRIPTION
03-11-000	Highway Banner



AIRPORT FLAG



- Heavy-duty Nylon
- Red/White checkered

ITEM #	DESCRIPTION
03-229-3423	36" x 36" Nylon



WINDSOCK



- International Orange
- UV Inhibitors
- Double stitched at all seams
- Weather proof and durable for variety of applications
- Corrosion resistant aluminum frame
- *Windsock only

ITEM #	DESCRIPTION
03-WS-3	3' Windsock Only
03-WS-FO3	3' Frame Only
03-WS-FO	4' & 8' Frame Only
03-WS-3KT	3' w 10" Opening
03-WS-4"	4' w 18" Opening
03-WS-4KT	4' w 18" Opening
03-WS-8"	8' w 18" Opening
03-WS-8KT	8' w 18" Opening
03-WS-55KT	4'7" w 13" Opening



SEE PRICE LIST FOR ADDITIONAL OPTIONS

TrailBOSS™

TrailBOSS Channelizer Drum #03-780-4EG
Tire Ring Base #03-732-30

TRAILBOSS & TRAILGUIDE MOLDED RUBBER BASE



- Snaps on to barrel bottom
- Recycled rubber

ITEM #	DESCRIPTION	FITS
03-732	20 lb Base, Round	TrailGUIDE
03-732-25	25 lb Base, Round	TrailBOSS
03-732-30	30 lb Base, Round	TrailBOSS
03-732-40	40 lb Base, Round	TrailBOSS



TRAILBOSS & TRAILGUIDE TIRE RING BASE



- Tire ring slides over top of barrel
- Recycled rubber

ITEM #	DESCRIPTION
03-750-TRG	30" Diameter 22.5 lb Tire Ring Base with 22" ID
03-732-WR	18 lb Tire Ring Base 16" ID (For use with TrailGUIDE in CANADA ONLY)





TrailBOSS™ / TrailGUIDE

TrailBOSS CHANNELIZER DRUM HDPE



- High Density Polyethylene (HDPE) with UV Inhibitors
- Two base options
- Available Plain or with Engineer Grade, Diamond Grade, HI-Intensity Prismatic sheeting
- Meets US Standards • 36" Height/23" at base

ITEM #	DESCRIPTION
03-780	Plain
03-780-4EG	Engineer Grade 4" Stripes
03-780-6EG	Engineer Grade 6" Stripes
03-780-4HI	HI-Intensity Prismatic 4" Stripes
03-780-6HI	HI-Intensity Prismatic 6" Stripes
03-780-4FP3M	Diamond Grade 4" Stripes
03-780-6FP3M	Diamond Grade 6" Stripes



TrailBOSS CHANNELIZER DRUM LDPE



- Low Density Polyethylene (LDPE) with UV Inhibitors
- Two base options
- Available Plain or with Engineer Grade, Diamond Grade, HI-Intensity Prismatic sheeting
- Meets US Standards • 36" Height/23" at base

ITEM #	DESCRIPTION
03-782	Plain
03-782-4EG	4" Engineer Grade 4" Stripes
03-782-6EG	6" Diamond Grade 6" Stripes
03-782-4HI	4" HI-Intensity Prismatic Stripes
03-782-6HI	6" HI-Intensity Prismatic Stripes
03-782-4FP3M	4" Diamond Grade Stripes
03-782-6FP3M	6" Diamond Grade Stripes



TrailGUIDE CHANNELIZER DRUM



- Meets NCHRP-350 crash test requirements
- High Density Polyethylene (HDPE) with UV Inhibitors
- Withstands repeated impacts and temperature extremes
- EZ Grab handle design makes moving and stacking a breeze
- Available with HI-Intensity or Fluorescent Prismatic Sheeting in 4" and 6" configurations
- BLACK approved for use in Ontario and Newfoundland
- ORANGE approved for use in Nova Scotia and Manitoba • 45" Height/18" at base

ITEM #	DESCRIPTION
03-755-P	Orange Plain / No Sheeting
03-755-4HI	Orange (4) - 4" High Intensity Prismatic Sheeting
03-755-6FP	Orange (4) - 6" Diamond Grade Sheeting
03-755-QCFP	Orange F1 Prismatic Sheeting (MTQ-TRV7)
03-756-P	Black Plain
03-756-4HIO	Black 4 - 4" HI Fluorescent Orange Stripe (MO-TC-54)



GRIP N GO™ CHANNELIZERS



GRIP N GO ORANGE



- Meets MUTCD Standards & NCHRP-350 Certified
- High Visibility Orange
- Molded High Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base

ITEM #	DESCRIPTION
03-750	Plain
03-750-4EG	4 EGR Stripes
03-750-4FP3M	4 - 4" DG Stripes
03-750-4HI	4 - 4" HI Stripes
03-750-6EG	4 - 6" EGR Stripes
03-750-6FP3M	4 - 6" DG Stripes
03-750-6HI	4 - 6" HI Stripes
03-750-64HI	1 - 6" / 4" HI Stripes



EZ GRAB GRIP N GO CHANNELIZER CONES



- NCHRP-350 Certified
- High Visibility
- Molded High Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base
- SEE PRICE LIST FOR ADDITIONAL OPTIONS


ITEM #	DESCRIPTION
03-750BLK	Black - Plain
03-750-64HYG	Yellow - 6" / 4" HI Stripes
03-750-64HBG	Blue - 6" / 4" HI Stripes
03-750-64HLG	Lime - 6" / 4" HI Stripes





GUARDIAN™ ROOF WARNING LINE PERIMETER

Use the Cortina Safety Products Roof Warning Line Perimeter on roof tops, construction sites, in parking lots, manufacturing plants, and office buildings. This simple to assemble Roof Warning Line Perimeter, with it's easy pennant flag tie off system, is easy to setup and remove quickly, and stores easily!



GUARDIAN ROOF WARNING LINE PERIMETER

- OSHA 1926.502(f) Compliant
- Cortina EZ Grab Guardian high visibility orange
- Molded High Density Polyethylene with UV Color Stabilization
- OSHA Compliant Pennants - 500 lb tensile strength
- Does not conduct
- Meets fall protection system requirements
- Easy BASE drop over assembly
- Stackable for storage
- 100% recycled rectangular 30 lb rubber base

ITEM #	DESCRIPTION
03-765RBC	Kit - 50 EZ Grab Guardian Channelizers w 50 Bases and 3 Red/Yellow Pennant Strands
03-765	EZ Grab Guardian Channelizer
03-752-30	30 lb Rubber Base
03-400-105	OSHA Compliant 105' Pennants
03-400-105	Red
03-405-105	Yellow
03-407-105	Red/Yellow Alternating



GRIP N GO BASES



- Recycled rubber bases fit Grip N Go and EZ Grab Grip N Go Channelizers

ITEM #	DESCRIPTION
03-752-10	10 lb Square base for Grip N Go only 15.25"W x 17"L x 1'H
03-752-16	16 lb Hexagon base for Grip N Go only 18"W x 2'H
03-752-30	30 lb Rectangular base for Grip N Go & Guardian Channelizers 14"W x 30)L x 2'H



TRAILBLAZER™ XL & TRAILBLAZER VERTICAL PANELS



Trailblazer XL #03-768-HI
Base #03-760-15

TRAILBLAZER XL ORANGE VERTICAL PANEL

- Meets MUTCD Standards
- EG, HIP, or DG Reflective Sheeting
- Sheeted area 8.1" x 36"
- Overall dimensions 44.6"H x 8"D x 15"W
- Stackable made from Polyethylene
- Easy setup and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM #	DESCRIPTION
03-768	Plain - no Sheeting
03-768-EG	Engineer Grade Sheeting
03-768-HI	HIP Sheeting
03-768-DG	Diamond Grade Sheeting





TRAILBLAZER™ XL

& TRAILBLAZER VERTICAL PANELS

TRAILBLAZER XL WHITE VERTICAL PANEL

- Meets MUTCD Standards
- EG, HIP, or DG Reflective Sheeting
- Sheeted area 8.1" x 36"
- Overall dimensions 44.6"H x 8"D x 15"W
- Stackable made from Polyethylene
- Easy setup and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM #	DESCRIPTION
03-768W	Plain - no Sheeting
03-768W-EG	Engineer Grade Sheeting
03-768W-HI	HIP Sheeting
03-768W-DG	Diamond Grade Sheeting



TRAILBLAZER VERTICAL PANEL

- Meets MUTCD Standards
- 6" EG or HIP Reflective Sheeting
- Sheeted area 7.5" x 32.5"
- Overall dimensions 40"H x 9"D x 13" W
- Stackable made from Polyethylene
- Recessed panels protect sheeting
- Easy setup and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM #	DESCRIPTION
03-760	Orange - Plain - no sheeting
03-760-EG6	Orange - Engineer Sheeting 2 sides
03-760-HI6	Orange - HI Prismatic Sheeting 2 sides
03-760W-EG	White - Engineer Sheeting 2 sides
03-760W-HI	White - HI Prismatic Sheeting 2 sides



TRAILBLAZER VERTICAL PANEL CANADA

- HIP Reflective Sheeting
- Sheeted area 7.5" x 32.5"
- Overall dimensions 40"H x 9"D x 13" W
- Stackable made from Polyethylene
- Recessed panels protect sheeting
- Easy setup and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM #	DESCRIPTION
03-768LI-SFP	Lime - HI Prismatic Sheeting - Legend "Stop for Pedestrian (Symbol) Within Crosswalk"



VERTICAL PANEL BASES

- Recycled rubber bases

ITEM #	DESCRIPTION
03-760-15	15 lb 18.5"Wx22'Lx1.3"H
03-760-20	20 lb 18.5"Wx22'Lx1.3"H
03-760-30	30 lb 18.5"Wx22'Lx2.8"H



TRAILBLAZER™ XL VALET VERTICAL PANELS



Trailblazer XL #03-768W-VPPSH
Base #03-760-15



TRAILBLAZER™ XL VALET VERTICAL PANELS



TRAILBLAZER XL VERTICAL PANEL - VALET LEGENDS

ITEM #	DESCRIPTION
VALET LEGENDS BLACK	
03-768BLK-VPPSH	Black- Valet Please Stop Here
03-768BLK-VPSHTY	Black- Valet Please Stop Here Thank You
03-768BLK-VRA	Black- Valet With Right Arrow
03-768BLK-VLA	Black- Valet With Left Arrow
03-768BLK-V	Black- Valet
VALET LEGENDS WHITE	
03-768W-VPPSH	White - Valet Please Stop Here
03-768W-VPSHTY	White - Valet Please Stop Here Thank You
03-768W-VRA	White - Valet With Right Arrow
03-768W-VLA	White - Valet With Left Arrow
03-768W-V	White - Valet
ADDITIONAL LEGENDS BLACK	
03-768BLK-ERA	Black- Exit With Right Arrow
03-768BLK-ELA	Black- Exit With Left Arrow
03-768BLK-PC	Black- Parking Closed
03-768BLK-LF	Black- Lot Full
03-768BLK-PRA	Black- Park With Right Arrow
03-768BLK-PLA	Black- Park With Left Arrow
03-768BLK-P	Black- Park
03-768BLK-EDA	Black- Exit With Double Arrow
03-768BLK-SLOW	Black- Slow With Pedestrian Graphic At Top
ADDITIONAL LEGENDS WHITE	
03-768W-ERA	White - Exit With Right Arrow
03-768W-ELA	White - Exit With Left Arrow
03-768W-PC	White - Parking Closed
03-768W-LF	White - Lot Full
03-768W-PRA	White - Park With Right Arrow
03-768W-PLA	White - Park With Left Arrow
03-768W-P	White - Park
03-768W-EDA	White - Exit With Double Arrow
03-768W-SLOW	White - Slow With Pedestrian Graphic At Top

SEE PAGE 39 FOR BASE OPTIONS



DELINEATOR POSTS

EZ Grab Delineator #03-734
Base #03-730

EZ GRAB™ DELINEATOR POST KITS

EZ GRAB STROBE DELINEATOR POST KIT

- NCHRP-350 Certified
- 100% impact resistant Polyethylene
- Portable - easy to move
- UV Inhibitors resist fading
- Two 4" HI Reflective recessed bands
- Built-in LED lights provide dual flashing - warning for day and night use
- Uses 4 D-Cell Batteries
- Rubber base is 100% recycled rubber
- Square design adds high friction for improved wind stability

ITEM # DESCRIPTION

- | | |
|----------|---|
| 03-739 | Orange Flared Post w 2 - 4" HIP Collars & 2 sided orange strobe light |
| 03-739-1 | Blue Flared Post w 2 - 4" HIP Collars & 2 sided strobe light |

EZ GRAB PERMANENT MOUNT BASE KIT

- High impact plastic post with UV color stabilization
- Reflective collars for 360° visibility
- Heavy-duty reinforced plastic bases for rugged durability
- Base has 5/8" bolt holes for 5/8" or 9/16" bolt
(bolt is not included)
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM # DESCRIPTION

- | | |
|-----------|--|
| 03-746ABC | 41" Orange Post (2) 4" HIP Collars & Base w Clamp |
| 03-733-1 | Fiberglass Reinforced Plastic Base w Channel Clamp |





DELINEATOR POSTS

EZ GRAB™ DELINEATOR



- NCHRP-350 Certified
- 100% Impact resistant Polyethylene
- UV Inhibitors resist fading
- 2 - 3" or 4" HI Reflective recessed bands

ITEM # DESCRIPTION PORTABLE - BASE OPTIONS SOLD SEPARATELY

03-740	Orange Plain - no sheeting
03-734	Orange w 2-3" HIP Collars
03-737	Orange w 2-3" HIP Collars & 2 Amber Reflectors
03-747	Orange w 2-4" HIP Collars
03-740W	White Plain - no sheeting
03-747W	White w 2-3" HIP Collars
03-740Y	Yellow Plain - no sheeting
03-747Y	Yellow w 2-3" HIP Collars
03-740B	Blue Plain - no sheeting
03-747B	Blue w 2-3" HIP Collars
03-740FG	Forest Green Plain - no sheeting
03-747FG	Forest Green w 2-3" HIP Collars
03-740LI	Lime Plain - no sheeting
03-747LI	Lime w 2-3" HIP Collars
03-747BLK	Black w 2-3" HIP Collars



ITEM # DESCRIPTION PERMANENT MOUNT - INCLUDES PERMANENT MOUNT BASE (BELOW)

03-735	Orange w 2-4" HIP Collars
03-746ABC	Orange w 2-4" HIP Collars & Base w clamp
03-735W	White w 2-4" HIP Collars
03-746WABC	White w 2-4" HIP Collars & Base w clamp
03-735Y	Yellow w 2-4" HIP Collars
03-746YABC	Yellow w 2-4" HIP Collars & Base w clamp
03-735B	Blue w 2-4" HIP Collars
03-746BABC	Blue w 2-4" HIP Collars & Base w clamp
03-735FG	Forest Green w 2-4" HIP Collars
03-746FGABC	Forest Green w 2-4" HIP Collars & Base w clamp
03-735LI	Lime w 2-4" HIP Collars
03-746LIABC	Lime w 2-4" HIP Collars & Base w clamp




EZ GRAB BASES

- Rubber bases slide perfectly over top of EZ Grab handle
- Permanent Mount Base secures to bottom

ITEM # DESCRIPTION

03-730	10 lb Square Base (15.5" x 17.75" x 1.5")
03-731	15 lb Hex Base (17.75" x 17.75" x 2")
03-733-I	Permanent Mount Base (8" Diameter)

Permanent Mount Base has 5/8" bolt holes for 5/8" or 9/16" bolt (bolt is not included)





EZ GRAB™ DELUX - STACKABLE DELINEATOR

EZ GRAB DELUX STACKABLE DELINEATOR



Shown with Posts
Stacked



- Class I Self-Certified
- Meets MUTCD Standards
- NCHRP-350 Certified
- Convenient carry handle built in
- Accepts Retractable Topper Tape Barrier to create instant barricade
- Stackable, and easy to deploy and relocate
- Base slides over the top and grabs flanged bottom for a secure lock (Rubber base sold separately)

ITEM #	DESCRIPTION
13-03-710	Plain post
03-710	Post with 2-3" Collars
03-714	Post with 2-4" Collars
BASE	
03-731	15 lb Rubber Hexagon Base



RETRACTABLE BARRIER

- Snaps and locks on top of **NEW EZ Grab DeLux Stackable Delineator** (press firmly to SNAP in place)
- Provides a quick visual barrier around hazardous areas
- Easy to setup and apply
- Overall measurement of topper - 4" x 9"
- 9.5' Tape



Create an instant barrier
with
Retractable Belt

ITEM #	DESCRIPTION
03-828RCT	Red Cone Retractable Barrier
03-828YCT	Yellow Cone Retractable Barrier
03-710-RCT	Post with 2-3" Collars and Red Cone Barrier
03-710-YCT	Post with 2-3" Collars and Yellow Cone Barrier
03-710RBC-RCT	Post with 10 lb Rubber Base and Red Cone Barrier
03-710RBC-YCT	Post with 10 lb Rubber Base and Yellow Cone Barrier





TUBULAR MARKERS

2" TUBULAR MARKERS

2" DIAMETER TUBULAR MARKERS

- High performance surface mounted
- Can be bonded to asphalt or concrete
- Easy installation, removal & relocation
- Excellent resistance - rebounds after impact

ITEM # DESCRIPTION

2" TUBULAR MARKERS

04-36-OWG	36" Orange with 3" x 6" HI White sheeting
04-48-OWG	48" Orange with 3" x 6" HI White sheeting
04-36-WWG	36" White with 3" x 6" HI White sheeting
04-48-WWG	48" White with 3" x 6" HI White sheeting
04-36-YYG	36" Yellow with 3" x 6" HI Yellow sheeting
04-48-YYG	48" Yellow with 3" x 6" HI Yellow sheeting
04-36-BWG	36" Black with 3" x 6" HI White sheeting
04-48-BWG	48" Black with 3" x 6" HI White sheeting



3" TUBULAR MARKERS

3" DIAMETER TUBULAR MARKER

- 100% Impact resistant Polyurethane
- Permanent Mount
- Post & base included
- Can be bonded to asphalt or concrete
- Excellent resistance - rebounds after impact

ITEM # DESCRIPTION

3" DIAMETER TUBULAR MARKERS

04-728	28" Orange
04-736	36" Orange
04-728W	28" White
04-736W	36" White
04-728Y	28" Yellow
04-736Y	36" Yellow



TUBULAR MARKER BASES



REPLACEMENT BASE

- 100% Impact resistant Polyurethane

ITEM # DESCRIPTION

04-10-BASE	Universal Tubular Marker Base 8.25" Diameter
04-10-PAD	Butyl Pad - Mounting Pad for Adhesive Mount Tubular Delineator



LAMBA™



LAMBA SAFETY FLOOR SIGN



- LAMBA 2 x 4 Safety Floor Sign 6/packs
- Lock-in' Arm technology for easy setup and extra stability
- 4 sided caution messages display clear warnings from every angle
- 24" high sign folds quickly & easily for storage in spaces as narrow as 3"
- Custom printing available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM #	DESCRIPTION
03-600-33	Plain
03-600-34	Caution Wet Floor
03-600-36	Wet Floor (Eng/Span)
03-600-37	No Entry Restroom Closed
03-600-38	Caution Watch Your Step
03-600-41	Out of Service
03-600-43	Caution



LAMBA RING WEIGHTS AND CHAINS

- Expand effectiveness of Lamba Cones or Signs
- Add weight to the Lamba cone for extra stability
- Connect signs/cones with chains to cordon off an area



ITEM #	DESCRIPTION
RING WEIGHTS	
03-600-29	Weight 7 lbs for 25" Lamba Cone
03-600-30	Weight 9 lbs for 36" Lamba Cone
CHAINS	
03-600-27	20' Yellow Plastic Chain
03-600-28	100' Yellow Plastic Chain



LAMBA LOCK IN SIGNS

- LAMBA 8" x 8" plastic sign that can be placed in top of Lamba cones to display message labels.
- Message labels are 8" x 8" adhesive backed Vinyl
- Messages are limitless
- Customization available

ITEM #	DESCRIPTION
03-600-31	Red Sign - Blank
03-600-21	Watch Your Step
03-600-22	Restroom Closed No Entry
03-600-23	Wet Floor Please Walk to the Right
03-600-24	Wet Floor Please Walk to the Left
03-600-25	Caution Wet Floor
03-600-26	Wet Floor





LAMBA™

LAMBA CONES - 25" WITH LEGENDS



- Available 25" imprinted with stock legends
- International languages
- 25" Cone dimensions: 10" base, 4-3/4" middle, 3-1/4" top
- Custom imprinting available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM #	DESCRIPTION
03-600-12	Yellow Plain
03-600-07	Yellow Wet Floor (Eng/Span)
03-600-12CAU	Yellow Caution
03-600-12WF	Yellow Caution Wet Floor
03-600-06	Yellow Caution Safety First



LAMBA CONES - 36" WITH LEGENDS



- Available 36" heights imprinted with stock legends
- International languages
- 36" Cone dimensions: 12" base, 6" middle, 3-1/2" top
- Custom imprinting available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM #	DESCRIPTION
03-600-09	Yellow Caution Wet Floor (Eng/Span)
03-600-09L	Lime Caution Wet Floor (Eng/Span)
03-600-11A	Yellow Caution
03-600-05	Orange Caution Wet Floor
03-600-09	Yellow Caution Wet Floor(Eng/Span)
03-600-10	Yellow Caution Slippery (Eng/French)
03-600-11	Yellow No Parking



NEW LAMBA CONES



- 25" or 36" heights plain or imprinted with stock legends
- International languages
- 25" Cone dimensions: 10" base, 4-3/4" middle, 3-1/4" top
- 36" Cone dimensions: 12" base, 6" middle, 3-1/2" top
- Custom imprinting available



ITEM #	DESCRIPTION
03-600-100B	36" Blue - Watch Out For Falling Ice
03-600-100G	36" Grey - Watch Out For Falling Ice
03-600-100BL	36" Black - Watch Out For Falling Ice
03-600-101B	36" Blue - Slippery When Wet
03-600-101G	36" Grey - Slippery When Wet
03-600-101BL	36" Black - Slippery When Wet



CABLE PROTECTORS

Cortina's Extreme Cable Protectors range from light to heavy-duty and Xtreme. Cable Protectors are made of Polyurethane offering the best product characteristics and they are versatile across all industries. Available lines include Standard, ADA Compliant, and GLOW in the dark. Made in the USA, this line offers a Lifetime Warranty.

FEATURE - Button lid fasteners.
BENEFIT - Lids stay shut to protect your cables.



ULTRAGUARD

- Constructed with a solid cast Polyurethane base and lid
- Lid connected with reinforced fiberglass rod that won't rust or corrode
- Withstands natural and man-made elements
- Versatile across all industries
- Light to heavy-duty projects
- Low profile cable ramp
- Used in vehicle or pedestrian settings
- Exclusive lid design - button fasteners
- ADA Guards compliant with safety requirements (see page 50)



ITEM # DESCRIPTION

2070-5	5 (1.38") Channels - 36" L x 20" W x 1.75" H - 24 lbs / 20,000 lb load rating
2070-7	7 (1.38") Channels - 36" L x 24" W x 1.75" H - 30 lbs / 18,000 lbs load rating





CABLE PROTECTORS

LITEGUARD

- Significant load bearing strength
- Compact size 36" L x 13" W
- Used in vehicle or pedestrian settings
- 14,000 lb load rating

ITEM #	DESCRIPTION
2070-3	3 (1.25") Channels - 36" L x 13" W x 1.75" H - 16 lbs



MIGHTYGUARD

- Constructed with a solid cast Polyurethane base and lid
- Compliant with safety requirements
- Surface Pattern – Ultimate slip resistant pattern to minimize slips and falls
- Lid connected with reinforced fiberglass rod that won't rust or corrode
- Withstands natural and man-made elements
- Compliant with safety requirements

ITEM #	DESCRIPTION
--------	-------------

3" Channel Widths

2085-1	1 (3") Channel - 36" L x 20.5" W x 3.5" H - 30 lbs / 19,750 lb load rating
2085-2	2 (3") Channels - 36" L x 24" W x 3.75" H - 36 lbs / 12,250 load rating



2" Channel Widths

2071-3	3 (2") Channels - 36" L x 19" W x 2.5" H - 28.5 lbs / 12,250 lb load rating
2085-5	5 (2") Channels - 36" L x 24" W x 2.5" H - 35 lbs / 15,750 load rating



XTREME GUARDS

- Wide ramps provide comfortable slope for equipment & vehicles
- Ability to add Additional Channels
- Solid cast manufacturing offers superior physical properties to injection molding resulting in a stronger product
- Resistant to the fiercest elements withstanding anything from blizzards to heat waves
- Easily cleaned and abrasion resistant to the elements
- Reinforced fiberglass rod which will never corrode, rust, or break
- Ultimate slip resistant pattern to minimize slips and falls
- Ultra strong connection points with easy & safe configuration
- Built in handles underneath base for easy transportation
- Patent No. D799941

ITEM #	DESCRIPTION
--------	-------------

2088-6	1 (6" W x 6" H) Channel - 27.5" L x 146" W x 8.5" H - 570 lbs / 500 ton load rating
2089-2	2 (4.5" W x 4.5" H) Channels - 27.5" L x 32" W x 6" H - 100 lbs / 30,000 lb load rating





CABLE PROTECTORS

HOSE BRIDGE

- Load Bearing capacity – 20000 lbs per tire
- Protect cables and hoses: 3" diameter
- Sold as pair (2 pieces)
- Diamond plate tread surface for increased traction
- Lightweight, easy to transport, setup, breakdown and store
- Built-in hand holds double as attachment points for mounting brackets

ITEM # DESCRIPTION

2081-2B	Hose Bridge Set 1 - two pieces per set - Channel Black (2"W x 2'H Channel dims) Overall dims 22.75'L x 20.5'W x 3.25'H 27 lbs
2081-3B	Hose Bridge Set 1 - two pieces per set - Channel Black (3"W x 3'H Channel dims) Overall dims 22.75'L x 20.5'W x 4.25'H 44 lbs



DROPOVERS

- An economical alternative to cable guards
- Quick easy solution to cover wires, hoses and pipes
- Available Black or Red
- Alternative to cable protectors
- Standard 8,850 lb load rating
- Heavy-Duty 7,500 lb load rating

ITEM # DESCRIPTION

2080-DP-B	1(4"W x 1"H) Channel - 36'L x 10.5'W x 1.5'H Black - 6 lbs
2080-DP-R	1(4"W x 1"H) Channel - 36'L x 10.5'W x 1.5'H Red - 6 lbs
2082-B	1(7.5"W x 1.6"H) Channel - 36'L x 20'W x 2.5'H Heavy-Duty Black - 30 lbs
2082-R	1(7.5"W x 1.6"H) Channel - 36'L x 20'W x 2.5'H Heavy-Duty Red - 30 lbs



MIGHTYGUARD 2 CHANNEL ADA



- Constructed with a solid cast Polyurethane base and lid
- Lid connected with reinforced fiberglass rod that won't rust or corrode
- Withstands natural and man-made elements
- Compliant with safety requirements
- 16,500 lb load rating
- No other 2" Channel Guard on the market

ITEM # DESCRIPTION

2071-2	2 (2"W X 2"H) Channels 64'L x 18'W x 2.5'H - ADA Compliant Cable Guard 55 lbs
--------	--



50


ULTRAGUARD 5 CHANNEL ADA



- Versatile across all industries - applicable in light to heavy-duty projects
- Offers low profile cable ramp designed for easy vehicle and pedestrian traffic
- Constructed with solid cast Polyurethane base and lid
- Secure lid design enhances the safety of your product
- Lid's push button fasteners ensure the lid is properly closed and secure at all times
- ADA Compliant - easy to transport and install
- 20,000 lb load rating • Also available in ADA Blue

ITEM # DESCRIPTION

2071-5	5 (1.38"W X 1.25"H) Channels 52.5'L x 19'W x 1.75'H ADA- Compliant Cable Guard 30 lbs
--------	--





GLOW CABLE PROTECTORS

DROPOVER 1 CHANNEL

- An economical alternative to cable guards
- Quick easy solution to cover wires, hoses and pipes
- Available Black or Red
- Alternative to cable protectors
- 10 seconds of UV sunlight to fully charge
- Will glow for over 24 hours
- 8,850 lb load rating



ITEM # DESCRIPTION

2075-1B	1 (4"Wx 1"H) Channel - 36"L x 10.5"Wx 1.5"H Black - 6 lbs
2075-1R	1 (4"Wx 1"H) Channel - 36"L x 10.5"Wx 1.5"H Red - 6 lbs



LITEGUARD 2 CHANNEL

- Significant load bearing strength
- Compact size 36" L x 13" W
- Used in vehicle or pedestrian settings
- 10 seconds of UV sunlight to fully charge
- Will glow for over 24 hours
- 12,500 lb load rating



ITEM # DESCRIPTION

2072-2	2 (1.25"Wx 1.25"H) Channels - 36"L x 11.25"Wx 1.75"H - 13 lbs
--------	---



MIGHTYGUARD 3 CHANNEL

- Versatile across all industries
- Light to heavy-duty projects
- Low profile cable ramp
- Used in vehicle or pedestrian settings
- 10 seconds of UV sunlight to fully charge
- Will glow for over 24 hours
- 12,250 lb load rating



ITEM # DESCRIPTION

2072-3	3 (2"Wx 2.1") Channels - 36"L x 19"Wx 2.5"H - 28.50 lbs
--------	---



ULTRAGUARD 5 CHANNEL

- Versatile across all industries / Light to heavy-duty projects
- Low profile cable ramp
- Used in vehicle or pedestrian settings
- Exclusive lid design - button fasteners
- 10 seconds of UV sunlight to fully charge
- Will glow for over 24 hours
- 20,000 lb load rating
- Available in ADA Compliant option



ITEM # DESCRIPTION

2072-5	5 (1.38"W x 1.25"H) Channels - 36"L x 20"Wx 1.75"H - 24 lbs
--------	---





PARKING AIDS

WHEEL CHOCKS



- Maximum durability and skid protection
- Withstand adverse weather conditions
- Immobilize wheels on your truck or trailer
- Easy to use and highly visible

ITEM #	DESCRIPTION	WEIGHT-LBS	LOAD RATING
MEDIUM POLYURETHANE			
2048WC-B6E	Medium 6" Black, Hollow Single Unit w Eye Hook and Rope 8.5"L x 6"Wx 5.75"H	2.75	15,000
2048WC-O6E	Medium 6" Orange, Hollow Single Unit w Eye Hook and Rope 8.5"L x 6"Wx 5.75"H	2.75	15,000
2048WC-B6R	Medium 6" Black, Solid Single Unit w Eye Hook and Rope 8.5"L x 6"Wx 5.75"H	5	30,000
2048WC-O6R	Medium 6" Orange, Solid Single Unit w Eye Hook and Rope 8.5"L x 6"Wx 5.75"H	5	30,000
LARGE POLYURETHANE			
2048WC-B7E	Large 7" Black, Hollow Single Unit w Eye Hook and Rope 10.5"L x 7"Wx 7.75"H	8	40,000
2048WC-O7E	Large 7" Orange, Hollow Single Unit w Eye Hook and Rope 10.5"L x 7"Wx 7.75"H	8	40,000
2048WC-B7R	Large 7" Black, Solid Single Unit w Eye Hook and Rope 10.5"L x 7"Wx 7.75"H	11	80,000
2048WC-O7R	Large 7" Orange, Solid Single Unit w Eye Hook and Rope 10.5"L x 7"Wx 7.75"H	11	80,000
HEAVY-DUTY RUBBER			
2048WC	Heavy-Duty Wheel Chock w/eye-bolt 10)L x 8"Wx 6"H	9	4,000
2048WCC	Heavy-Duty Wheel Chock w/eye-bolt 10)L x 8"Wx 6"H w/12 foot 10# chain	10	4,000
2048C	12 foot 10# Jack Chain only - 2" Wide	6	



AIRCRAFT WHEEL CHOCKS

- Polyurethane Chock
- Aircraft Chock in Black or Orange
- Glow Element built into top of
- Reflectors are either side
- Also available 18 lbs.



ITEM #	DESCRIPTION	WEIGHT-LBS	LOAD RATING
2083-B	Aircraft Chock With Glow & Reflectors, Black - 23.5)L x 8"Wx 6"H	25	36,000
2083-O	Aircraft Chock With Glow & Reflectors, Orange - 23.5)L x 8"Wx 6"H	25	36,000





PARKING AIDS

PARKING BLOCKS



- Maintenance free
- Extremely durable recycled rubber will not warp, crack, or decay
- Resistant to oil, UV rays and moisture
- Stands up in wide temperature extremes
- Painted yellow reflective stripes
- 4.5" H x 8" W

ITEM #	DESCRIPTION
2049PB	4' Striped Yellow Rubber
2050PB	6' Striped Yellow Rubber
2057PB	3' Striped Yellow Rubber
2053S	14" Painted Steel Spike



SPEED BUMPS



- Maintenance free
- Extremely durable recycled rubber will not warp, crack, or decay
- Withstand wide temperature extremes
- Painted yellow reflective stripes
- Built with cat eye reflectors for added visibility
- 2.5" H x 12" W

ITEM #	DESCRIPTION
2054SB	4' Striped Yellow Rubber
2055SB	6' Striped Yellow Rubber
2055SB-D	6' Striped Yellow Rubber w (2) 1.25" Underside Channels
2055CAP-D	End Cap - for speed bump #2055SB-D
2055CAP	End Cap - for speed bumps 2056SB, 2054SB, and 2055SB
2053S	14" Painted Steel Spike



SPEED HUMPS



- Maintenance free
- Extremely durable recycled rubber will not warp, crack, or decay
- Withstand wide temperature extremes
- Painted yellow reflective stripes

ITEM #	DESCRIPTION
2044SH	Mini Speed Hump - 35.5"(L) x 19.5"(W) x 2.1"(H)
2042ECM	End Cap - Male - for speed hump - 35.5"(L) x 17.5"(W) x 2.1"(H)
2043ECF	End Cap - Female - for speed hump - 35.5"(L) x 17.5"(W) x 2.1"(H)
2053S	14" Spike - Galvanized



WARNING LIGHTS



TEAR DROP LIGHTS



- Meets / exceeds SAE Requirements
- Industries highest quality and dependable Rotating Halogen Light
- Low Profile Tear Drop Light
- 12V Magnetic Mount

ITEM #	DESCRIPTION
22-56525	Amber
22-56526	Red
22-56527	Blue

PULSATATOR LED



- Fourteen selectable flash patterns
- LED technology for 0 maintenance
- No bulbs or strobe tubes to replace
- Multi voltage
- 12-24 VDC, Class 2, Five year LED warranty
- Cord included

ITEM #	DESCRIPTION
22-56530	Amber Perm Mount
22-56531	Amber Magnet Mount

FIREBOLT LED



- Fourteen selectable flash patterns
- Polycarbonate dome & base
- Multi voltage
- 12-24 VDC, Class 2, Five year LED warranty
- Cord included

ITEM #	DESCRIPTION
22-56532	Amber Magnet Mount





WARNING LIGHTS

PULSATATOR 451 LED



- Fourteen selectable flash patterns
- LED technology for 0 maintenance
- No bulbs or strobe tubes to replace
- Multi-voltage
- 12-24 VDC, Class 2, Five year LED warranty
- Cord included

ITEM #	DESCRIPTION
22-56533	Amber Short Perm Mount



SENTRY



- 95 FPM
- Large parabolic reflector & 55-watt Halogen bulb
- 80,000 candelas per flash
- Rugged Polycarbonate housing
- Twist off dome for easy maintenance
- Class 1 Five year LED warranty
- Cord included

ITEM #	DESCRIPTION
22-56535	12 VDC Magnet Mount



VISIBEAM II



- High power spotlight
- Graduated start for pinpoint light beam placement
- Continuous 360° horizontal and 140° vertical adjustment
- FCC approved
- Three year warranty

ITEM #	DESCRIPTION
22-56537	12 VDC Surface Mount



HIGHLIGHTER LED ECONOMY



- High output Solaris LED reflector technology
- ROC (Reliable Onboard Circuitry) - reduces potential failure points
- Low profile
- 2.6" tall, Class 1, Five year warranty

ITEM #	DESCRIPTION
22-56540	Amber Suction Cup Magnet Mount
22-56541	Amber Permanent Mount



LATITUDE



- High output Solaris LED reflector technology
- ROC (Reliable Onboard Circuitry) - reduces potential failure points
- Ten flash patterns and one test pattern
- Polycarbonate, moisture resistant housing
- Class 1, Five year LED warranty

ITEM #	DESCRIPTION
22-56543	Latitude LED Flashing, Amber 12-14 VDC, Surface Mount
22-56545	Latitude SignalMaster LED, Amber, 12-14 VDC, Surface Mount



WARNING KITS





WARNING KITS/FLARE KITS

219 EMERGENCY WARNING TRIANGLE KIT



- Meets/exceeds all DOT FMVSS125 Requirements
- Opaque container protects fluorescent color from UV deterioration
- Weighted base ensures Triangles will not move by wind gusts caused by passing traffic

ITEM # DESCRIPTION

95-03-009	Three (3) Triangles in Red Box - 1/pack
95-03-010	Three (3) Triangles in Red Box - 4/pack



FLARE HOLDERS



- Designed to hold 20 or 30 minute flares
- Constructed from heavy-duty Polypropylene
- Easy Grab handle and no roll design

ITEM # DESCRIPTION

95-07-003	Holder case 12/20 Minute - holds 12 flares
95-07-004	Holder case 12/30 Minute - holds 16 flares
95-07-005	Holder case w bracket 3/20 Minute & wire stand



MOTORIST SAFETY KIT



- Meets/exceeds all DOT FMVSS125 Requirements
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

ITEM # DESCRIPTION

95-06-03	(1) Triangle, (2) 30-min. lightsticks, (1) Orange Safety Vest in Silk Bag
----------	--



FLARES



- Available in 20 and 30 minute types
- Moisture resistant
- Spike, non spike, or wire stand

ITEM # DESCRIPTION

95-07-20	20 Min Spike Type 72/case
95-07-21	20 Min Flare w/o Spike 72/case
95-07-22	20 Min Flare w Wire Stand - 72/case
95-07-30	30 Min Flare Spike Type 36/case
95-07-31	30 Min Flare w/o Spike 36/case
95-07-32	30 Min Flare w Wire Stand - 36/case





WARNING KITS

ROADSIDE EMERGENCY KIT

- Kit contains 79 pieces in Nylon Carrying Case - Nonhazardous • Unit weight 6.75 lbs

Emergency Signaling & Lighting

320-Minute Flares; 1 Reflective Triangle; 1 Light Stick; 1 Flashlight; Batteries

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 1 Shop Cloth; 1 Nylon Carrying Case

Automotive Accessories

1 Premium Jumper Cable (8' 10 Gauge); 1 Combination Tool; Survival Products; 1 Emergency Blanket

First Aid Products

ITEM #	DESCRIPTION
--------	-------------

95-07-57	Deluxe Roadside Emergency Kit
----------	-------------------------------



EMERGENCY HIGHWAY FLARE KIT

- Kit contains 19 pieces in Nylon Carrying Case - Nonhazardous • Unit weight 5.20 lbs.

Emergency Signaling & Lighting

520-Minute Flares; 1 Light Stick

Personal Accessories

1 Bright Safety Vest; 2 Shop Cloths; 1 Nylon Carrying Case

Automotive Accessories

1 Premium Jumper Cable (8' 10 Gauge)

First Aid Products

ITEM #	DESCRIPTION
--------	-------------

95-07-58	Emergency Highway Flare Kit PLUS
----------	----------------------------------



BASIC ROADSIDE FLARE EMERGENCY KIT

- Kit contains 50 pieces in Nylon Carrying Case - Nonhazardous • Unit weight 2.75 lbs

Emergency Signaling & Lighting

3 15-Minute Flares; 1 Emergency Signal Flag; 2 Light Sticks

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 3 Shop Cloths; 1 Nylon Carrying Case

First Aid Products

ITEM #	DESCRIPTION
--------	-------------

95-07-60	Basic Roadside Flare Kit
----------	--------------------------



PREMIUM ROADSIDE FLARE EMERGENCY KIT

- Kit contains 60 pieces in Nylon Carrying Case - Nonhazardous • Unit weight 4.75 lbs

Emergency Signaling & Lighting

3 15-Minute Flares; 2 Light Sticks

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 3 Shop Cloths; 2 Knit Gloves; 1 Nylon Carrying Case

Automotive Accessories

1 Premium Jumper Cable (8' 10 Gauge); 1 Combination Tool; 1 Roll Duct Tape / 6 Cable Ties

First Aid Products

ITEM #	DESCRIPTION
--------	-------------

95-07-61	Premium Roadside Flare Emergency Kit
----------	--------------------------------------





WARNING KITS

VISIBILITY KIT

- Kit contains 14 pieces in Nylon Carrying Case - Nonhazardous
- Unit weight 1 lb

Emergency Signaling & Lighting

3 – 15 Minute Red Emergency Flares; 1 Flare Deployment & Safety Guide; 1 Light Stick; 1 LED Flashlight; 2 AA Batteries; 1 Wide Mouth Bag w/Reflective Triangle

Personal Accessories

2 Bright Safety Vests; 2 Rain Ponchos; 1 Nylon Carry Case

Automotive Accessories

Roadside Assistance Membership

ITEM # **DESCRIPTION**

95-07-62 Visibility Kit



BASIC AUTO SAFETY KIT

- Kit contains 49 pieces in Nylon Carrying Case - Nonhazardous
- Unit weight 1.44 lbs

Emergency Signaling & Lighting

1 Flashlight; 2 Batteries; 2 Light Sticks

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 3 Shop Cloths; 1 Nylon Carrying Case

First Aid Products

ITEM # **DESCRIPTION**

95-07-63 Basic Auto Safety Kit (Non Pyro)



PREMIUM AUTO SAFETY KIT

- Kit contains 66 pieces in Nylon Carrying Case - Nonhazardous
- Unit weight 3.13 lbs

Emergency Signaling & Lighting

1 Light Stick / 1 Flashlight; 2 Batteries

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 4 Towelettes / 1 Shop Cloth; 1 Emergency Blanket; 2 Knit Gloves;

1 Emergency Signal Flag; 1 Nylon Carrying Case

Automotive Accessories

1 Premium Jumper Cable (8' 10 Gauge); 1 Roll Duct Tape; 10 Cable Ties

First Aid Products

ITEM # **DESCRIPTION**

95-07-64 Premium Auto Safety Kit (Non Pyro)



DELUXE 5 FLARE ROADSIDE EMERGENCY KIT

- Kit contains 105 pieces in Nylon Carrying Case - Nonhazardous
- Unit weight 8.21 lbs

Emergency Signaling & Lighting

5 20-Minute Flares / 2 Light Sticks / 1 Flashlight / 2 Batteries

Personal Accessories

1 Bright Safety Vest / 1 Rain Poncho / 2 Shop Cloths; 1 Nylon Carrying Case; Automotive Accessories;

1 Premium Jumper Cable (8' 10 Gauge); 1 Combination Tool


Survival Products

2 Emergency Blankets / 4 Hand warmers; 2 Water Pouches / 2 Candles / 10 Matches

First Aid Products

ITEM # **DESCRIPTION**

95-07-65 Deluxe 5 Flare Roadside Emergency Kit





WORKSITE PRODUCTS

BARGARD™ PROTECTOR COVERS



- Fits rebar #3-8, 3/8" to 7/8" diameter
- Metal reinforced
- Safety Orange for visibility
- 100 per pack

ITEM #	DESCRIPTION
97-1810	4" x 4" Cal-OSHA Orange Rebar Cap



A-5 BARGARD™ COVERS



- Fits rebar 3/8" to 3/4" diameter
- Fits inside 1" I.D.
- 100 per pack

ITEM #	DESCRIPTION
97-1811	A-5 Lime 2.25" x 2.5"



A-20 BARGARD™ COVERS



- Fits rebar 1" to 2-1/4" diameter
- Fits inside 1-3/4" I.D.
- 100 per pack

ITEM #	DESCRIPTION
97-1813	A-20 Lime 2.75" x 3.5"
97-1814	A-20 White 2.75" x 3.5"



A-10 BARGARD™ COVERS



- Fits rebar 3/8" to 1-1/4" diameter
- Fits inside 1-3/4" I.D.
- 100 per pack

ITEM #	DESCRIPTION
97-1812-1	2.5" x 2.55"



BARGARD™ protective covers are approved for use as impalement protection (for rebar or similar protruding objects) at grade or above grade when used in accordance with the Installation Instructions. Please contact the manufacturer or distributor if the Installation Instructions are missing or illegible. Failure to properly install protective covers will significantly decrease any impalement protection that may otherwise be provided and may result in serious injury or death. Inspect for damage prior to use; do not use damaged or defective protective covers. Discard protective cover if positioning fins are missing or damaged. Protective covers are not approved for use for fall distances greater than 7 feet 6 inches, or as protection for weights above 250 pounds.




FENCING

GENERAL PURPOSE FENCING

- Orange Polyethylene
- Highly visible
- UV stabilized
- Rugged and reusable


ITEM #	DESCRIPTION
03-900	9 lb Orange 4' x 50' Diamond Mesh - 35 Rolls/Pallet
03-901	17 lb Orange 4' x 100' Diamond Mesh - 16 Rolls/Pallet
03-902	11 lb Orange 4' x 100' Lightweight - 48 Rolls/Pallet
03-904	12 lb Orange 4' x 100' Lightweight - 48 Rolls/Pallet



KRYPTONITE FENCING

- Lime Polyethylene
- Highly visible
- UV stabilized
- Rugged and reusable

ITEM #	DESCRIPTION
03-902-1	11 lb Lime Lightweight 4' x 100' barrier fence - 48 Rolls/Pallet



MEDIUM AND HEAVY GRADE FENCING

- Smooth top and bottom
- Heavier and more visible than light duty diamond fencing
- Medium tensile strength - MD: 160 lbs / ft; HD: 100 lbs / ft
- Heavy-duty tensile strength - MD: 180 lbs / ft; HD: 176 lbs / ft
- Rugged and reusable

ITEM #	DESCRIPTION
03-906-MGO	14 lb Diamond 4' x 50' Orange - 30 Rolls/Pallet
03-907-5MGO	23 lb Diamond 5' x 50' Orange - 30 Rolls/Pallet
03-905-HDO	32 lb Diamond 4' x 100' Orange - 48 Rolls/Pallet





United States 800-225-5206
workzone@cortinaco.com

©2020 Cortina Safety Products Group



Canada 866-757-1900
workzonecanada@cortinaco.com

www.cortinaco.com

CSPG-STDRD-20