



M-CADE BARRICADE
97-11-003-44

PLASTX BARRICADES

ALERT DRIVERS TO YOUR WORKZONE!



Plastx Barricades are designed for easy nesting and stacking. These barricades are:
 MASH Approved
 NCHRP-350 Certified
 Meet MUTCD Specifications

PLASTX Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Rugged heavy-duty design to provide maximum use
- Designed for easy nesting and stacking
- Recessed and replaceable sheeted panels
- Accepts weight cartridge

Type I



Dimensions:

- Top Sheeted Panel - 12" x 24"
- Bottom Unsheeted Panel - 4" x 24"

Item

Description

97-01-001	Engineer Grade Sheeting
97-01-001-01	Hi-Intensity Prismatic Sheeting
97-01-001-13	Diamond Grade Sheeting
97-01-001-11	Diamond Grade Fluorescent Orange Sheeting, Top Panel with Directional Arrow

Type II



Dimensions:

- Top Sheeted Panel - 8" x 24" or 12" x 24"
- Bottom Sheeted Panel - 8" x 24"

Item

Description

Top Sheeted Panel: 8" x 24"	
97-01-002	Engineer Grade Sheeting
97-01-002-01	Hi-Intensity Prismatic Sheeting
97-01-002-08	Diamond Grade Sheeting
Top Sheeted Panel: 12" x 24"	
97-01-003-01	Engineer Grade Sheeting
97-01-003-02	Hi-Intensity Prismatic Sheeting
97-01-003-03	Diamond Grade Sheeting
97-01-003-11	Diamond Grade Fluorescent Orange Sheeting Top Panel w/ Directional Arrow, Hi-Intensity Bottom Panel

M-CADE BARRICADES

ALERT DRIVERS TO YOUR WORKZONE!



Folds flat for easy storage

M-Cade Barricades



M-Cade Barricades are the perfect way to call attention to your workzone. These barricades are:
 MASH Approved
 NCHRP-350 Certified
 Meet MUTCD Specifications

M-CADE Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Rugged heavy-duty design to provide maximum use
- Designed for easy nesting and stacking
- Recessed and replaceable sheeted panels
- Accepts weight cartridge

Type I



Dimensions:

- Top Sheeted Panel - 12" x 24"
- Bottom Unsheeted Panel - 8" x 24"
- Sandbar - 6" x 24"

Item

Description

97-11-001-44	EG Sheeting w/ Sandbar
97-11-001-45	HIP Sheeting w/ Sandbar
97-11-001-46	DG Sheeting w/ sandbar
97-11-001-11	DG Fluorescent Orange Sheeting, Top Panel with Directional Arrow

Type II



Dimensions:

- Top Sheeted Panel - 8" x 24" or 12" x 24"
- Bottom Sheeted Panel - 8" x 24"
- Sandbar - 6" x 24"

Item

Description

	Top Sheeted Panel: 8" x 24"
97-11-002-44	EG Sheeting
97-11-002-45	HIP Sheeting
97-11-002-46	DG Sheeting
	Top Sheeted Panel: 12" x 24"
97-11-003-44	EG Sheeting
97-11-003-45	HIP Sheeting
97-11-003-46	DG Sheeting

M-CADE-IB



Dimensions:

- Top Sheeted Panel - 12" x 24"
- Bottom Unsheeted IB Panel - 12" x 24"

Item

Description

97-12-001-44	EG Sheeting
97-12-001-45	HIP Sheeting

STEELCADE BARRICADES

ALERT DRIVERS TO YOUR WORKZONE!



Steelcade Barricades are constructed with 14 gauge legs and aluminum rivet construction. These barricades are:
 MASH Approved
 NCHRP-350 Certified
 Meet MUTCD Specifications

STEELCADE Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- 14 Gauge powder coated legs
- Aluminum rivet construction
- M-Cade panels that won't splinter or decay

Type I



- Dimensions:
- Top Sheeted Panel - 12" x 24"
 - Bottom Unsheeted Panel - 8" x 24"

Item #	Description
97-03-001	EG Sheeting
97-03-001-01	HIP Sheeting
97-03-001-16	DG Sheeting

Type I XL



- Dimensions:
- Top Sheeted Panel - 8" x 36"
 - Bottom Sheeted Panel - 8" x 36"

Item #	Description
97-03-001-36G	EG Sheeting

Type II



- Dimensions:
- Top Sheeted Panel - 8" x 24" or 12" x 24"
 - Bottom Sheeted Panel - 8" x 24"

Item #	Description
Top Sheeted Panel: 8" x 24"	
97-03-002	EG Sheeting
97-03-002-01	HIP Sheeting
97-03-002-03	DG Sheeting
Top Sheeted Panel: 12" x 24"	
97-03-003-01	EG Sheeting
97-03-003-02	HIP Sheeting

Type II XL



- Dimensions:
- Top Sheeted Panel - 8" x 36"
 - Bottom Sheeted Panel - 8" x 36"

Item #	Description
97-03-002-36G	EG Sheeting

N-CADE BARRICADES

ALERT DRIVERS TO YOUR WORKZONE!



N-Cade Barricades are the perfect narrow workzone applications. These barricades are:
NCHRP-350 Certified
Meet MUTCD Specifications

N-CADE Features:

- NCHRP-350 Certified
- Meets MUTCD Specifications
- Injection molded with high-impact resin
- Easy to assemble, no tools required
- Ideal for narrow applications
- Recessed, replaceable panels

Overall Dimensions:

- Height - 44"
- Width - 14"

Sheeting Dimensions:

- Height - 24"
- Width - 12"

Item

97-01-007

97-01-007-01

97-01-007-03SX

Description

Engineer Grade Sheeting

Hi-Intensity Prismatic Sheeting

Diamond Grade Fluorescent - School X-ing



A-FRAMES & T-BOARDS

ALERT DRIVERS TO YOUR WORKZONE!



P-Cade and A-Frame accepts
1 x 8 or 2 x 8 Boards



A-Frame



A-Frame Barricades are paired with T-Boards to create an instant barrier. These barricades are:
MASH Approved
NCHRP-350 Certified
Meet MUTCD Specifications

A-Frame Features:

- Injection molded with high impact resin
- Universal slots accept a wide variety of boards
- Reinforced ribbing and molded light mount
- Nest together for easy storage

T-Board Features:

- Extruded exterior grade high-density Polyethylene
- Won't crack, splinter or warp
- Fits A-Frame and P-Cade



Dimensions:

- Height - 40.75"
- Width - 2"
- Depth - 29"
- Weight - 8lbs

Item

Description

97-01-004-02	1 Board, White
97-01-004	2 Boards, White
97-01-004O	2 Boards, Orange
97-01-004-CE	2 Boards, White w/ weights



- Available in 4', 6', 8', 10' and 12' lengths

Item

Description

1" x 8" Boards (fits Type III Barricades)	
97-01-0113	4' Board - Plain
97-01-0113-01	4' Board - (1) Side EG Sheeting
97-01-0113-02	4' Board - (2) Sides EG Sheeting
97-01-0113-03	4' Board - (1) Side HIP Sheeting
97-01-0113-04	4' Board - (2) Sides HIP Sheeting
2" x 8" Boards (fits A-Frames & P-Cades)	
97-01-0213	4- Board - Plain
97-01-0213-01	4' Board - (1) Side EG Sheeting
97-01-0213-02	4' Board - (2) Sides EG Sheeting
97-01-0213-03	4' Board - (1) Side HIP Sheeting
97-01-0213-04	4' Board - (2) Sides HIP Sheeting
97-01-029B-02	8' Black Board - (2) Sides HIP Sheeting

** SEE PRICE LIST FOR MORE OPTIONS**

P-CADE BARRICADES

MAKE YOUR WORKZONE ADA COMPLIANT!



ADA Compliant Leg



P-Cade Plastx Barrier



P-Cade Barricades are the perfect way to make your workzone ADA accessible. These barricades are:
MASH Approved
NCHRP-350 Certified
Meet MUTCD Specifications

P-CADE Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Meets ADA Guidelines
- Injection molded with high-impact resin
- Easy to assemble, no tools required
- Uses 2" x 8" boards
- Accepts all barricade lights
- Reinforced ribbing



Dimensions:

- Height - 40"
- Width - 2.5"
- Depth - 29"
- Weight - 8lbs

Item #
97-01-1600

Description
P-Cade Leg only



TELESPAR TYPE III BARRICADES



Telespar Type III Barricades are made with galvanized steel tubing and can accept 2 barricade lights. These barricades are:
 MASH Approved
 NCHRP-350 Certified
 Meet MUTCD Specifications

Telespar Type III Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Galvanized steel tubing
- 14 gauge steel for uprights and feet
- Angle Iron feet, mill finish
- Universal mounting holes pre-punched 7/16"
- Accepts 2 barricade lights

Dimensions:

- Height - 40"
- Width - 2.5'
- Depth - 29"
- Weight - 8lbs



Item

97-1700-6EG
 97-1700-6HI
 97-1700-6DG
 97-1700-8EG
 97-1700-8HI

Description

6' Boards, 1 side Engineer Grade Striped Sheeting
 6' Boards, 1 Side Hi-Intensity Prismatic Striped Sheeting
 6' Boards, 1 Side Diamond Grade Striped Sheeting
 8' Boards, 1 Side Engineer Grade Striped Sheeting
 8' Boards, 1 Side Hi-Intensity Prismatic Striped Sheeting