

CABLE PROTECTORS

Cortina's Extreme Cable Protectors range from light to heavy-duty and Xtreme. Cable Protectors are made of Polyurethane offering the best product characteristics and they are versatile across all industries. Available lines include Standard, ADA Compliant, and GLOW in the dark. Made in the USA, this line offers a Lifetime Warranty.

FEATURE - Button lid fasteners.
BENEFIT - Lids stay shut to protect your cables.

ULTRAGUARD

- Constructed with a solid cast Polyurethane base and lid
- Lid connected with reinforced fiberglass rod that won't rust or corrode
- Withstands natural and man-made elements
- Versatile across all industries
- Light to heavy-duty projects
- Low profile cable ramp
- Used in vehicle or pedestrian settings
- Exclusive lid design - button fasteners
- ADA Guards compliant with safety requirements (see page 50)



ITEM #	DESCRIPTION
2070-5	5 (1.38") Channels - 36"L x 20"W x 1.75"H - 24 lbs / 20,000 lb load rating
2070-7	7 (1.38") Channels - 36"L x 24" W x 1.75"H - 30 lbs / 18,000 lbs load rating





CABLE PROTECTORS

LITEGUARD

- Significant load bearing strength
- Compact size 36" L x 13" W
- Used in vehicle or pedestrian settings
- 14,000 lb load rating

ITEM #	DESCRIPTION
2070-3	3 (1.25") Channels - 36"L x 13"W x 1.75"H - 16 lbs



MIGHTYGUARD

- Constructed with a solid cast Polyurethane base and lid
- Compliant with safety requirements
- Surface Pattern – Ultimate slip resistant pattern to minimize slips and falls
- Lid connected with reinforced fiberglass rod that won't rust or corrode
- Withstands natural and man-made elements
- Compliant with safety requirements



ITEM #	DESCRIPTION
3" Channel Widths	
2085-1	1 (3") Channel - 36"L x 20.5"W x 3.5"H - 30 lbs / 19,750 lb load rating
2085-2	2 (3") Channels - 36"L x 24 "W x 3.75"H - 36 lbs / 12,250 load rating
2" Channel Widths	
2071-3	3 (2") Channels - 36"L x 19"W x 2.5"H - 28.5 lbs / 12,250 lb load rating
2085-5	5 (2") Channels - 36"L x 24"W x 2.5"H - 35 lbs / 15,750 load rating



XTREME GUARDS

- Wide ramps provide comfortable slope for equipment & vehicles
- Ability to add Additional Channels
- Solid cast manufacturing offers superior physical properties to injection molding resulting in a stronger product
- Resistant to the fiercest elements withstanding anything from blizzards to heat waves
- Easily cleaned and abrasion resistant to the elements
- Reinforced fiberglass rod which will never corrode, rust, or break
- Ultimate slip resistant pattern to minimize slips and falls
- Ultra strong connection points with easy & safe configuration
- Built in handles underneath base for easy transportation
- Patent No. D799941



ITEM #	DESCRIPTION
2088-6	1 (6" W x 6" H) Channel - 27.5"L x 146"W x 8.5"H - 570 lbs / 500 ton load rating
2089-2	2 (4.5" W x 4.5" H) Channels - 27.5"L x 32"W x 6"H - 100 lbs / 30,000 lb load rating





CABLE PROTECTORS

HOSE BRIDGE

- Load Bearing capacity – 20000 lbs per tire
- Protect cables and hoses: 3" diameter
- Sold as pair (2 pieces)
- Diamond plate tread surface for increased traction
- Lightweight, easy to transport, setup, breakdown and store
- Built-in hand holds double as attachment points for mounting brackets

ITEM #	DESCRIPTION
2081-2B	Hose Bridge Set 1 - two pieces per set - Channel Black (2"W x 2"H Channel dims) Overall dims 22.75"L x 20.5"W x 3.25"H 27 lbs
2081-3B	Hose Bridge Set 1 - two pieces per set - Channel Black (3"W x 3"H Channel dims) Overall dims 22.75"L x 20.5"W x 4.25"H 44 lbs



DROPOVERS

- An economical alternative to cable guards
- Quick easy solution to cover wires, hoses and pipes
- Available Black or Red
- Alternative to cable protectors
- Standard 8,850 lb load rating
- Heavy-Duty 7,500 lb load rating

ITEM #	DESCRIPTION
2080-DP-B	1 (4"W x 1"H) Channel - 36"L x 10.5"W x 1.5"H Black - 6 lbs
2080-DP-R	1 (4"W x 1"H) Channel - 36"L x 10.5"W x 1.5"H Red - 6 lbs
2082-B	1 (7.5"W x 1.6"H) Channel - 36"L x 20"W x 2.5"H Heavy-Duty Black - 30 lbs
2082-R	1 (7.5"W x 1.6"H) Channel - 36"L x 20"W x 2.5"H Heavy-Duty Red - 30 lbs



MIGHTYGUARD 2 CHANNEL ADA



- Constructed with a solid cast Polyurethane base and lid
- Lid connected with reinforced fiberglass rod that won't rust or corrode
- Withstands natural and man-made elements
- Compliant with safety requirements
- 16,500 lb load rating
- No other 2" Channel Guard on the market

ITEM #	DESCRIPTION
2071-2	2 (2"W X 2"H) Channels 64"L x 18"W x 2.5"H - ADA Compliant Cable Guard 55 lbs



ULTRAGUARD 5 CHANNEL ADA



- Versatile across all industries - applicable in light to heavy-duty projects
- Offers low profile cable ramp designed for easy vehicle and pedestrian traffic
- Constructed with solid cast Polyurethane base and lid
- Secure lid design enhances the safety of your product
- Lid's push button fasteners ensure the lid is properly closed and secure at all times
- ADA Compliant - easy to transport and install
- 20,000 lb load rating ● Also available in ADA Blue

ITEM #	DESCRIPTION
2071-5	5 (1.38"W X 1.25"H) Channels 52.5"L x 19"W x 1.75"H ADA - Compliant Cable Guard 30 lbs

